

Township 9, Range 6-7 Ranges

6 Ms. Lts.

rage measure, on true line; from which a W. Oak, 18 ins. diam. bears N. 9 W. 6 links, and a Beech, 10 ins. diam. bears S. 9 E. 25 links distant.

Continued true line, and fell 70 Ms. South of temporary center Post. Set it at intersection [corner of Sections 29, 30, 35, 36] from which a W. Oak, 30 ins. diam. bears S. 50 W. 8 links, and a Sugar, 15 ins. diam. bears S. 89 E. 10 links distant.

South Then went between Sections 29 & 35, & moved temporary Tr. Sec. Post, and set it at average distance, on true line; from which a B. Oak, 6 ins. diam. bears N. 59 E. 18 links, and a W. Oak, 12 ins. diam. bears S. 21 E. 22 Ms. distant.

North Then went between Sections 30 & 36, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a Chestnut, 30 ins. diam. bears S. 64 E. 23 Ms., and a B. Oak, 6 ins. diam. bears N. 28 E. 14 links distant.

East Continued true line, between Sections 29 & 30, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 15 ins. diam. bears S. 88 E. 6 links, and a W. Oak, 10 ins. diam. bears N. 11 W. 18 links distant.

Surveyed in 1806, by Philip Greene, Deputy Surveyor.

Township 10, Range 6-7 Ranges

x x x x x x x x x x
South Boundary.

From Post
West 1st Mile - [South side of Section 1.]
2.65 A. W. Oak, 24 inches diameter.
56.79 A. W. Oak, 12 inches diameter.
80.00 Set Post, [corner to Sections 1 & 7,] from which a Sugar, 4 ins. diam. bears S. 80 W. 13 links, and a Lym, 10 ins. diam. bears S. 82 E. 40 Ms. distant.

About 1/5 of this mile is rich bottom land, suitable for meadow and pasturage; the remainder is generally good upland, proper for the cultivation of wheat, rye and corn, hemp, tobacco, &c., covered with Oak, Hickory, Beech and Dogwood. The Bottom land is timbered with Elm, Walnut, Oak, Sugar, Cherry, Beech and Hickory.

West 2^d Mile - [South side of Section 7.]
40.50 A. W. Oak, 20 inches diameter.
80.00 Set Post, [corner to Sections 7 & 13,] from which a B. Oak, 12 ins. diam. bears S. 52 W. 54 links, and an Ash, 6 ins. diam. bears N. 87 E. 45 links distant.

The soil along this mile is generally of an excellent quality, suitable for the cultivation of indian corn, hemp, tobacco, wheat, rye, &c. - covered with Oak, Walnut, Elm, Hickory, Beech, &c.

West 3^d Mile - [South side of Section 13.]
33.64 A. W. Oak, 36 inches diameter.
80.00 An Elm, 3 ins. diam. [is corner of Secs. 13 & 19,] from which a Buckeye, 8 ins. diam. bears S. 36 W. 8 links, and a Buckeye, 6 ins. diam. bears N. 52 W. 24 links distant.

Township 10, Range 6-7 Ranges.

Chs. Lks.

The soil along this line is generally rich, but the land is hilly, and in some places rocky, except the last 20 chs, which is good bottom land, suitable for meadow and pasturage.

West 4th Mile - [South side of Section 19.]

36.83 A W. Oak, 12 inches diameter.

80.00 Set Post, [corner to Sections 19 & 25.] from which a B. Oak, 24 ins. diam. bears N. 29 E. 20 links, and a Hickory, 6 ins. diam. bears S. 29 W. 23 links distant.

The soil along this mile is generally of a middling good quality, covered with W. & B. Oak, Hickory and Dogwood.

West 5th Mile - [South side of Section 25.]

59.83 A W. Oak, 20 inches diameter.

80.00 A Dogwood, 3 ins. diam. [corner of Sections 25 & 31] from which a W. Oak, 18 ins. diam. bears S. 73 1/2 W. 42 links, and a W. Oak, 12 ins. diam. bears N. 62 E. 9 links distant.

The soil along this mile is generally of a middling good quality, proper for the cultivation of wheat, rye and corn.

West 6th Mile - South side of Section 31.

28.00 A W. Oak, 18 inches diameter.

80.00 Intersected the West Boundary of the 6th Range, 13 chs. 33 lks. North of Post, corner of Set Post, from which a Hickory, 8 ins. diam. bears N. 77 E. 40 links, and a Hickory, 8 ins. diam. bears S. 52 W. 33 links distant.

The soil along this mile is of a middling good quality, proper for the cultivation of wheat, rye, indian corn, &c.

Township 10, Range 6-7 Ranges.

Chs. Lks.

East Boundary.

[The course of this line is not given in the original notes, but is undoubtedly run South.]

+ x x x x x x x x x

Post, [corner to Sections 3 & 4.] from which a W. Oak, - ins. diam. bears N. 47 1/2 W. 25 1/2 links, and a W. Oak, 17 ins. diam. bears N. 56 1/2 E. 55 links distant. x x x x x

[South] 4th Mile - [East side of Section 3.]

15.08 A W. Oak, 11 inches diameter.

23.67 A W. Oak, 15 inches diameter.

40.89 A Gum, 14 inches diameter.

56.46 A W. Oak, - inches diameter.

80.00 Set Post, [corner of Sections 2 & 3.] from which a Gum, 17 ins. diam. bears N. 32 1/2 W. 22 1/2 lks., and a W. Ash, - ins. diam. bears N. 52 1/2 E. 44 1/2 links distant.

This mile is very little broken, and fine for wheat, timbered with Oak and Hickory. In the Run of water there is much limestone, and some coal brought down from the hills. Both these are frequently seen in the stream.

[South] 5th Mile - [East side of Section 2.]

18.12 A Hickory, 11 inches diameter.

18.83 A W. Oak, 24 inches diameter.

62.56 A Hickory, 44 inches diameter.

65.44 A W. Oak, 42 inches diameter.

80.00 Set Post, [corner to Sections 1 & 2.] from which a W. Oak, 20 ins. diam. bears N. 86 1/2 E. 47 links, and a W. Oak, 16 ins. diam. bears S. 15 1/2 E. 61 1/2 lks. distant.

This mile has one or two steep hills, but all in the extreme west; The upland is timbered

Township 10, Range 6-7 Ranges.

Chs. Lks.

with large Oak, Hickory, Sugar, Walnut and Ash. In the streams are limestone, the bottom producing Ash, Elm, B. Walnut and Sugar.

- [South] 6th Mile - [East side of Section 1.]
- 3.69 A W. Oak, 10 inches diameter.
- 16.40 A W. Oak, 15 inches diameter.
- 22.98 A Hickory, 10 inches diameter.
- 71.28 A W. Oak, 10 inches diameter.
- 80.00 Set Post from which a Hickory, 14 ins. diam. bears S. 43° W. 21 links, and a Hickory, 12 ins. diam. bears N. 34 5/8° W. 34 1/2 links distant.

This mile is very fine wheat land, some of the soil rich enough for corn and tobacco; timbered generally with B. & W. Oak & Hickory.

West Boundary.

- x x x x x x x x x
- Post, [corner to Sections 33 & 34] from which a W. Oak, 18 ins. diam. bears S. 57 1/2° E. 8 1/2 links, and a W. Oak, 14 ins. diam. bears S. 35° W. 24 links distant. x x x x x

- South 4th Mile - [West side of Section 33.]
 - 34.42 A W. Oak, 30 inches diameter.
 - 80.00 Set Post, [corner to Sections 32 & 33] from which a W. Oak, 18 ins. diam. bears S. 59° W. 62 links, and a W. Oak, 14 ins. diam. bears N. 12 1/4° W. 84 links distant.
- Land hilly, soil poor, covered with Oak, Hickory, Sassafras, and Nuckleberry.

Township 10, Range 6-7 Ranges.

Chs. Lks.

- South 5th Mile - [West side of Section 32.]
 - 13.91 A W. Oak, 30 inches diameter.
 - 45.20 A W. Oak, 20 inches diameter.
 - 80.00 Set Post, [corner to Sections 31 & 32] from which a Hickory, 16 ins. diam. bears S. 31° W. 39 1/2 links, and a Chestnut, 36 ins. diam. bears N. 24 1/2° W. 55 links distant.
- Soil of middling good quality, the land uneven; timbered with Oak, Hickory, Chestnut, Ironwood, and Dogwood.

- South 6th Mile - [West side of Section 31.]
- 34.32 A Hickory, 12 inches diameter.
- 63.32 A W. Oak, 16 inches diameter.
- 80.00 Set Post, from which a W. Oak, 18 ins. diam. bears S. 26° W. 27 links, and a W. Oak, 24 ins. diam. bears N. 49° E. 49 links distant.

Soil and timber of this mile, the same as the preceding.

Note - The trees at the corner of Townships are notched with 6 matches, and a blaze below them. The intermediate lots [Sections] with notches corresponding with the number of the mile; and trees in the line with two on the two sides in the line.

Surveyed in 1786, by Absalom Martin, Surveyor from New Jersey.

Township 10, Range 6-7 Ranges.

Chs. Lks.

April 21st, 1802.

Beginning at the South East corner of Section 1, in Township No. 10, Range No. 6. Hence

North On the East Boundary of Section 1.

- 8.29 A W. Oak, 10 inches diameter.
- 41.75 A Brook, 5 links, W.
- 55.39 A Hickory, 10 inches diameter.
- 57.25 A Brook, 6 links, W.
- 61.03 A W. Oak, 13 inches diameter.
- 68.41 A W. Oak, 10 inches diameter.
- 80.00 1 Mile Post, corner to Sections 1 & 2; where a Hickory, 12 ins. diam. bears N. 35 W. 35 links, and a Hickory, 14 ins. diam. bears S. 45 W. 20 links distant. Trees marked by plan. Over hilly land, soil good; Timber, Oak and Hickory.

North On East Boundary of Section 2.

- 10.81 A W. Oak, 36 inches diameter.
- 13.63 A Hickory, 14 inches diameter.
- 21.25 A Brook, 3 links, N. 10 E.
- 32.75 A Brook, 4 links, E. Limestone.
- 52.75 A Brook, 4 links, E. A coal bed.
- 55.65 A W. Oak, 30 inches diameter.
- 56.36 A Hickory, 10 inches diameter.
- 67.76 An Elm, 56 inches diameter.
- 73.25 Boggs Fork of Stillwater, 40 lks, course West.
- 73.50 Carpenter's Trail.
- 79.73 An Elm, 13 inches diameter.
- 80.00 2 Mile Post, corner to Sections 2 & 3; where a Hickory, 14 ins. diam. bears S. 88 W. 27 links, and a W. Oak, 18 ins. diam. bears S. 54 1/2 E. 82 links distant. Trees marked, &c. Over hilly land, soil rich; Timber, Oak, Hickory, some Sugar and Walnut.

Township 10, Range 6-7 Ranges.

Chs. Lks.

North continued, on East Boundary of Section 3.

- 2.54 A W. Oak, 12 inches diameter.
- 16.32 A W. Oak, 13 inches diameter.
- 23.25 A Brook, 3 links, W.
- 26.18 A W. Oak, 11 inches diameter.
- 30.11 A W. Oak, 10 inches diameter.
- 31.39 A Gum, 12 inches diameter.
- 38.25 A W. Oak, 16 inches diameter.
- 45.25 A Brook, 10 links, S. 20 W.
- 45.84 A W. Oak, 12 inches diameter.
- 56.27 A W. Oak, 10 inches diameter.
- 58.75 A Brook, 4 links, S. 20 E.
- 66.72 A W. Oak, 12 inches diameter.
- 72.36 A B. Oak, 12 inches diameter.
- 80.00 3 Mile Post, corner to Sections 3 & 4; where an Elm, 13 ins diam. bears South 27 lks., and a W. Oak, 14 ins. diam. bears N. 19 1/2 W. 22 links distant. Trees marked by plan. Over uneven land, soil thin; Timber, W. Oak.

x x x x x x x x x

West On South Boundary of Section 1.

- 6.00 A Brook, 6 links, S. 50 E.
- 25.07 A W. Oak, 16 inches diameter.
- 28.50 A Brook, 9 links, S.
- 34.00 A Brook, 4 links, S. 70 E.
- 55.59 A W. Oak, 13 inches diameter.
- 57.50 A Brook, 9 links, S.
- 60.50 A Brook, 7 links, S.
- 66.00 A Brook, 5 links, S.
- 77.00 A Brook, 25 links, N. 80 W.
- 80.00 1 Mile Post, corner to Sections 1 & 7; where a Sugar tree, 13 ins. diam. bears N. 64 W. 24 links, and a Sugar tree, 13 ins. diam. bears S. 16 E. 48 links distant. Trees marked by plan. Over uneven thin W. Oak land; bottom small, but of a good quality.

Township 10, Range 6-7 Ranges.

6th. Sec.
West continued, South Boundary of Section 7.
5.42 A W. Oak, 14 inches diameter.
24.50 A Brook, 10 links, N.
36.00 A Brook, 3 links, N.
38.22 A W. Oak, 15 inches diameter.
48.00 A Spring, N.
52.38 An Elm, 15 inches diameter.
70.00 A Brook, 7 links, N.
80.00 2 Mile Post, corner to Sections 7 & 13, ~~bar~~ corner made; — a Maple, 8 ins. diam.; bears N. 70 E. 22 1/2 links, and a Hickory, 14 ins. diam. bears S. 84 W. 33 Ms. distant. Trees marked by plan. Land the same.

North Between Sections 7 & 13.

21.00 A Spring, E.
25.00 An Elm, 10 inches diameter.
27.50 A Brook, 30 links, W.
30.38 A Sugar tree, 10 inches diameter.
46.00 A Brook, 12 links, S. 15 W.
47.00 An Elm, 18 inches diameter.
50.13 A Lym, 19 inches diameter.
50.98 A Sugar tree, 10 inches diameter.
57.00 A Spring, E.
68.88 A Hickory, 16 inches diameter.
80.00 1 Mile Post, corner to Sections 7, 8, 13, 14; where a Hickory, 11 ins. diam. bears S. 7 W. 30 Ms., and a W. Oak, 10 ins. diam. bears N. 60 W. 3 1/2 links distant. Trees marked by plan. Over hilly land, soil tolerable; Timber, Oak, Hickory, Walnut, Sugar, &c.; bottom narrow but good.

North Between Sections 8 & 14.

5.61 A W. Oak, 18 inches diameter.

Township 10, Range 6-7 Ranges.

6th. Sec.
6.53 A W. Oak, 18 inches diameter.
22.00 A Brook, 4 links, E.
24.00 A Spring, E.
45.00 A Sugar tree, 10 inches diameter.
50.00 A Brook, 15 links, W.
69.00 A Brook, 12 links, S. 10 E.
72.78 A Maple, 14 inches diameter.
75.50 A Brook, 5 links, S. 60 W.
80.00 2 Mile Post, corner to Sections 8, 9, 14, 15; where a W. Oak, 13 ins. diam. bears S. 81 E. 52 links, and a W. Oak, 12 ins. diam. bears S. 81 W. 18 links distant. Trees marked by plan. Same as the last rule, except the last quarter, which is thin soil, and stony.

East On Random Line.

80.00 Random Post.
11.50 A Brook. 22^d April, 1802.
79.90 Range Line, b. N. 2.36.

West Between Sections 2 & 3.

3.72 A W. Oak, 17 inches diameter.
9.00 A Brook, 7 links, S.
12.50 A Brook, 5 links, S.
18.00 Carpenter's Trail.
18.11 A Maple, 15 inches diameter.
34.00 Boggs' Fork of Stillwater, N. 80 W.
38.52 A W. Oak, 34 inches diameter.
64.12 A B. Oak, 17 inches diameter.
66.82 A W. Oak, 36 inches diameter.
68.00 A Brook, 10 links, N.
80.00 1 Mile Post, corner to Sections 2, 3, 8, 9; where a W. Oak, 10 ins. diam. bears N. 2 W. 49 Ms., and a W. Oak, 13 ins. diam. bears S. 16 W. 23

Township 10, Range 6-7 Ranges.

Chs. Lks.

links distant. Trees marked by plan. Over rich bottom land; Timber, Ash, Sugar, Walnut, &c.; hills appear steep, soil of a middling quality.

West Between Sections 8 & 9.

- 11.08 A W. Oak, 36 inches diameter.
- 17.88 A dead W. Oak, 40 inches diameter.
- 24.56 A Hickory, 11 inches diameter.
- 37.00 A Brook, 6 links, N.
- 46.78 A W. Oak, 13 inches diameter.
- 49.00 A Brook, 4 links, N.
- 63.90 A B. Oak, 20 inches diameter.
- 80.00 2 Mile Post, corner made. Over hilly land, soil tolerable; Timber, Oak, Hickory, Chestnut, &c.

North Between Sections 9 & 15.

- 16.62 A B. Oak, 20 inches diameter.
- 33.00 A W. Oak, 31 inches diameter.
- 49.27 A B. Oak, 30 inches diameter.
- 72.50 A creek, 50 links, W.
- 80.00 3 Mile corner, on an Ironwood, 7 ins. diam.; from which a Hickory, 12 ins. diam. bears N. 5 W. 60 links, and a Hickory, 16 ins. diam. bears S. 83 E. 47 links distant. Trees marked by plan. Over uneven land; Timber, Oak; bottoms narrow and wet.

West On South Boundary of Section 13.

- 26.50 A Brook, 6 links, S.
- 29.88 A W. Oak, 28 inches diameter.
- 32.50 A Lick, S.
- 50.00 A Brook, 4 links, S.

x x x x x x x x x x

Township 10, Range 6-7 Ranges.

Chs. Lks.

- 67.00 A creek, 70 links, N. 70 W.
- 80.00 3 Mile Post, corner to Sections 13 & 19; where a Beech, 6 ins. diam. bears N. 76 W. 10 links, and a Maple, 9 ins. diam. bears S. 76 E. 9 links distant. Trees marked by plan. Over good Oak land, to the creek, then over rich bottom; Timber, Sugar, Beech, Ash, Elm, &c.

West Continued, South Boundary of Section 19.

- 5.50 A Brook, 10 links, N.
- 31.72 A W. Oak, 11 inches diameter.
- 40.50 A Brook, 5 links, N.
- 64.00 A Brook, 12 links, N.
- 79.00 A W. Oak, 13 inches diameter.
- 80.00 4 Mile Post, corner to Sections 19 & 25; where a B. Oak, 10 ins. diam. bears S. 84 E. 20 links, and a B. Oak, 10 ins. diam. bears N. 55 W. 27 links distant. Trees marked by plan. Over hilly thin W. Oak land.

North Between Sections 19 & 25.

- 7.16 A W. Oak, 13 inches diameter.
- 20.00 A Brook, 12 links, E.
- 45.50 A Spring, E.
- 47.15 A Maple, 12 inches diameter.
- 48.50 A Spring, N. 20 E.
- 52.50 A Brook, 10 links, E.
- 71.00 A W. Oak, 15 inches diameter.
- 80.00 1 Mile Post, corner to Sections 19, 20, 25, 26; where a W. Oak, 38 ins. diam. bears S. 57 E. 17 links, and a W. Oak, 18 ins. diam. bears N. 42 W. 61 links distant. Trees marked by plan. Over hilly land, soil tolerable good, but stony and brushy; Timber, Oak. 24th April, 1882.

Township 10, Range 6-7 Ranges.

Chs. Ls.	
	North continued, between Sections 20 & 26.
3.19	A Hickory, 17 inches diameter.
4.00	A B. Oak, 20 inches diameter.
19.17	A Hickory, 10 inches diameter.
20.00	A Brook, 6 links, E.
23.00	A Spring, E.
34.00	Stillwater Creek, 80 links, W.
41.00	A Brook, 80 links, E.
42.85	A Beech, 10 inches diameter.
73.50	A Brook, 5 links, E.
80.00	2 Mile Post, corner to Sections 20, 21, 26, 27; where a Sugar tree, 10 ins. diam. bears S. 14 W. 22 links, and a W. Oak, 13 ins. diam. bears S. 66 E. 25 links distant. Trees marked by plan. Hills steep, soil thin, stony and brushy, bottoms narrow and wet; Timber, Beech, Ash, Sugar, &c.
	East On Random Line.
80.00	Random Post.
80.00	North Line, b. S. 100 links.
	West Between Sections 14 & 15.
5.50	A Brook, 6 links, S.
46.14	A B. Oak, 16 inches diameter.
50.45	A W. Oak, 22 inches diameter.
55.50	A Spring, N.
56.50	A Spring, N.
74.00	A Brook, 4 links, N.
75.50	A Brook, 10 links, S. 80 W.
79.25	An Elm, 17 inches diameter.
80.00	3 Mile Post, corner to Sections 14, 15, 20, 21; where a Sugar tree, 10 ins. diam. bears S. 84 E. 27 links, and a W. Oak, 10 ins diam. bears N. 84 W. 28 links distant. Trees marked by plan.

Township 10, Range 6-7 Ranges.

Chs. Ls.	
	Over tolerable good Oak land.
	West continued, between Sections 20 & 21.
3.45	A W. Oak, 17 inches diameter.
14.50	A Sack, S.
15.82	A W. Oak, 14 inches diameter.
29.00	A Brook, 7 links, S.
38.27	A Sugar tree, 15 inches diameter.
47.50	A Brook, 90 links, N. 60 W.
66.56	A W. Oak, 20 inches diameter.
70.00	A Swamp, 500 links wide.
80.00	4 Mile Post. corner made. Over level bottom land, soil rich; Timber, Sugar, Beech, Hickory, Ash, &c.
	West continued, between Sections 26 & 27.
1.35	A Sugar tree, 17 inches diameter.
35.57	A B. Oak, 22 inches diameter.
37.38	A B. Oak, 22 inches diameter.
45.00	A Brook, 4 links, S.
53.50	A Brook, 9 links, N. 80 W.
64.00	A Brook, 4 links, N.
67.00	A Brook, 12 links, N. 30 E.
80.00	5 Mile Post, corner to Sections 26, 27, 32, 33; where a W. Oak, 30 ins. diam. bears N. 88 E. 20 links, and a W. Oak, 13 ins diam. bears S. 74 1/2 W. 44 links distant. Trees marked by plan. Over hilly land, soil thin; Timber, Oak.
	West continued, between Sections 32 & 33.
28.14	A W. Oak, 20 inches diameter.
39.60	A W. Oak, 14 inches diameter.
52.95	A W. Oak, 10 inches diameter.

Township 10, Range 6-7 Ranges.

chs. Lks.

54.00 A W. Oak, 30 inches diameter.

72.00 6 Mile Post, in a Brook, 6 links, N. 70 E., corner to Sections 32 & 33; where a W. Oak, 6 ins. diam. bears N. 7 E. 9 links, and a W. Oak, 12 ins. diam. bears S. 1 E. 53 Ms. distant. Trees marked by plan.

Over hilly land, soil very poor; Timber, Oak.

North Between Sections 21 & 27.

2.75 A W. Oak, 14 inches diameter.

3.82 A W. Oak, 14 inches diameter.

32.50 A brook, 90 links, W.

38.89 A B. Oak, 30 inches diameter.

43.40 A W. Oak, 14 inches diameter.

44.00 A Swamp, 11.00 links.

80.00 3 Mile Post, [corner to Sections 21, 22, 27, 28,] from which a W. Oak, 15 ins. diam. bears S. 81 E. 31 links, and a W. Oak, 13 ins. diam. bears S. 64 W. 43 links distant. Trees marked by plan.

First 60 chs. over wet bottom land; Timber, Ash, Elm, Maple, &c.; then good Oak land.

x x x x x x x x x x

West On South Boundary of Section 25.

2.90 A Post.

20.48 A W. Oak, 28 inches diameter.

35.50 Forks of Brook, 4 links, N.

50.00 A Brook, 12 links, N. 60 E.

52.92 A W. Oak, 21 inches diameter.

65.50 A Brook, 9 links, S. 60 E.

80.00 5 Mile Post, corner to Sections 25 & 31; where a W. Oak, 13 ins. diam. bears N. 19 W. 24 links, and a W. Oak, 12 ins. diam. bears S. 8 1/2 E. 17 Ms. distant. Trees marked by plan.

Over hilly land, soil poor; Timber, Oak.

Township 10, Range 6-7 Ranges.

chs. Lks.

West continued, on South Boundary of Section 31.

2.90 A Post.

17.00 A Brook, 5 links, N.

18.00 A Brook, 7 links, N. 60 E.

20.48 A W. Oak, 16 inches diameter.

22.00 A Spring, S.

65.25 A Spring, S.

71.50 6 Mile Post. Corner made. A Poplar, 40 ins. diam. bears N. 76 E. 16 1/2 links, and a Sugar tree, 8 ins. diam. bears S. 74 W. 50 links distant.

North On West Boundary of Section 31.

17.13 A W. Oak, 10 inches diameter.

24.50 A Brook, 5 links, W.

30.00 A Brook, 5 links, S. 20 W.

31.73 A Hickory, 17 inches diameter.

45.00 A Brook, 4 links, S. 20 E.

53.83 A Hickory, 9 inches diameter.

65.91 A Chestnut, 36 inches diameter.

71.72 A B. Oak, 28 inches diameter.

72.65 A W. Oak, 13 inches diameter.

80.00 1 Mile Post, corner to Sections 31 & 32; where a Hickory, 10 ins. diam. bears N. 45 1/2 W. 17 links, and a B. Oak, 20 ins. diam. bears S. 97 E. 25 links distant. Trees marked by plan.

Over uneven thin Oak land.

North continued, West Boundary of Section 32.

6.37 A B. Oak, 20 inches diameter.

19.00 A W. Oak, 15 inches diameter.

48.00 A Brook, 8 links, E.

79.00 2 Mile Post. Corner made.

Land the same.

Township 10, Range 6-7 Ranges.

Chs. Lks.	
	North continued, West Boundary of Section 33.
13.26	A B. Oak, 9 inches diameter.
26.21	A W. Oak, 38 inches diameter.
49.00	A Brook, 4 links, N. 20 E.
56.00	A Brook, 10 links, E.
57.77	An Elm, 13 inches diameter.
63.00	A W. Oak, 13 inches diameter.
64.23	A W. Oak, 8 inches diameter.
71.09	A B. Oak, 46 inches diameter.
74.34	A B. Oak, 14 inches diameter.
80.00	3 Mile Post, corner to Sections 33 & 34; where a Poplar, 7 ins. diam. bears N. 37 W. 23 links, and a Chestnut, 5 ins. diam. bears S. 7 E. 7 Ms. distant. Trees marked by plan.

Over hilly land, soil poor, and stony; Timber, Oak.

x x x x x x x x x

Surveyed in April, 1802, by
Zacchery Biggs,
Deputy Surveyor.

Township 10, Range 6-7 Ranges.

Chs. Lks.	
	Subdivision of "2 Mile Blocks." May 29, 1805.
	Four Post, corner of Sections 7, 8, 13, 14, ran-
East	Random Line, between Sections 7 & 8, T. 10, R. 6.
3.50	A Brook, 8 links wide, course South.
40.00	Set temporary Quarter Section Post.
41.50	A Brook, 4 links wide, course South.
55.50	A Brook, 4 links wide, course South.
58.00	A Brook, 10 links wide, course South.
80.00	Set temporary Center Post.
	Land hilly, Soil good; Timber, Oak, Hickory, Poplar, Dogwood.
East	continued, Random Line, between Sections 1 & 2.
1.00	A Brook, 8 links wide, course South.
18.00	A Brook, 4 links wide, course South.
20.00	A Brook, 6 links wide, course South.
40.00	Set temporary Quarter Section Post.
43.00	A Brook, 8 links wide, course S. W.
48.00	A Brook, 3 links wide, course N. W.
80.00	Set 20 links South of Post on Range Line, corner of Sections 1 & 2, T. 10, R. 6. Land hilly, soil good; Timber, Oak, Hickory, Poplar, Dogwood, Ash.
West	corrected, between Sections 1 & 2, and set the temporary Tr. Sec. Post at average dis- tance, on true line. continued on true line, and set the Center Post on true line at the average measure.
West	continued on true line, between Secs. 7 & 8, and set the temporary Quarter Section Post on true line, at average measure. June 4 th 1805.

Township 10, Range 6-7 Ranges.

Clas. Lks.	
	From Post, corner of Sections 2, 3, 8, 9 -
	South Random Line, between Sections 2 & 8.
1.50	A Brook, 3 links wide, course S.
40.00	Set temporary Quarter Section Post.
81.00	Crossed the East and West Line. Land hilly, soil good; Timber, Oak, Hickory, Chestnut, Dogwood, Ironwood.
	South Continued Random Line between Secs. 1 & 7.
4.50	A Brook, 8 links wide, course West.
40.00	Set temporary Quarter Section Post.
67.50	A Brook, 6 links wide, course S.W.
So in original notes	10.00 A Brook, 25 lks. wide, course West.
80.00	Fell 13 links East of Post on South Boundary, corner of Sections 1 & 7. Land hilly, soil good; Timber, Oak, Hickory, Sugar, Dogwood.
	North Corrected the line between Sections 1 & 7, and set Tr. Sec. Post at average measure, on true line; from which a Gum, 6 ins. diam. bears S. 27 W. 13 links, and a Dogwood, 6 ins. diam. bears N. 54 E. 33 links distant. Continued true line, and fell 11 links West of temporary Quarter Post. Set it at intersection, corner to Sections 1, 2, 7, 8; from which a Hickory, 12 ins. diam. bears N. 23 W. 27 lks, and an Ironwood, 4 ins. diam. bears S. 16 E. 16 links distant.
	East Traveled between Sections 1 & 2, and moved the temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 30 ins. diam. bears N. 26 W. 13 lks,

Township 10, Range 6-7 Ranges.

Clas. Lks.	
	and a W. Oak, 11 ins. diam. bears S. 26 E. 36 links distant.
	West Traveled between Sections 7 & 8, and moved the temporary Tr. Sec. Post, and set it at average measure, on true line; from which a B. Oak, 15 ins. diam. bears N. 44 W. 21 lks, and a Hickory, 6 ins. diam. bears S. 54 E. 37 links distant.
	North continued true line between Sections 2 & 8, & moved temporary Tr. Sec. Post, and set it at average distance on true line; from which a Gum, 6 ins. diam. bears S. 5 E. 13 links, and a Gum, 4 ins. diam. bears N. 17 W. 5 links distant.
	May 27, 1805.
	East From Post, corner of Sections 3, 4, 9, 10, ran Random Line, between Sections 9 & 10.
40.00	Set temporary Quarter Section Post.
66.50	Boggs' Fork of Stillwater Creek, 40 links wide, course South.
80.00	Set temporary Quarter Post. Land hilly, soil good; Timber, Oak, Hickory, Ash, Walnut, Sugar, Chu, Ironwood, Dogwood, Spice, &c.
	East continued Random Line, between Sections 3 & 4.
33.00	A Brook, 4 links wide, course North.
40.00	Set temporary Quarter Section Post.
62.00	A Brook, 4 links wide, course North.
81.00	Fell 203 links South of Post on Range Line, corner of Sections 3 & 4, T. 10, R. 6. Land hilly, soil good; Timber, Oak, Hickory, Dogwood; Spice.

Township 10, Range 6-7 Ranges.

Chs. Lks.
 West Corrected the line between Sections 3 & 4, and set temporary Dr. Sec. Post at average distance on true line.
 Continued true line, and set the temporary Center Post at average distance.
 West Continued true line between Sections 9 & 10, and moved temporary Dr. Sec. Post to average distance on true line.
 x x x x x x x x x x
 South Continued Random Line between Sections 3 & 9.
 40.00 Set temporary Quarter Section Post.
 51.50 A Brook, 18 links wide, course West.
 80.00 Hit Post, corner of Sections 2, 3, 8, 9, 10, R. 6. Land hilly, soil good; Timber, Oak, Hickory, Sugar and Dogwood.
 North Closed the line between Sections 3 & 9, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 14 ins. diam. bears N. 49 E. 31 links, and a Hickory, 4 ins. diam. bears S. 46 W. 5 links distant.
 Continued the line to intersection, where set Center Post, corner to Sections 3, 4, 9, 10; where a Sugar, 6 ins. diam. bears N. 65 E. 26 links, and a W. Ash, 13 ins. diam. bears S. 54 W. 43 lks. distant.
 East Traveled between Sections 3 & 4, and set Dr. Sec. Post at average distance; from which a W. Oak, 16 ins. diam. bears N. 51 W. 38 links, and a Hickory, 12 ins. diam. bears S. 45 E. 30 links distant.
 West Traveled between Sections 9 & 10, and set Dr. Sec. Post at average distance; where

Township 10, Range 6-7 Ranges

Chs. Lks.
 a B. Oak, 12 ins. diam. bears S. 31 E. 10 lks, and a W. Oak, 20 ins. diam. bears N. 31 W. 12 links distant.
 x x [See page 797.] x x x x x
 June 1, 1805.
 From Post, corner of Sections 14, 15, 20, 21, ran South Random Line between Sections 14 & 20.
 .40 A Brook, 10 links wide, course S. W.
 40.00 Set temporary Quarter Section Post
 80.00 Crossed the East and West line.
 Land hilly, soil good; Timber, Oak, Hickory, and Chestnut; Dogwood.
 South Continued Random Line between Sections 13 & 19.
 1.00 Stillwater Creek, 75 links wide, course S. W.
 40.00 Set temporary Quarter Section Post.
 80.00 Fell 5 links East of Post on South Boundary corner of Sections 13 & 19, T. 10, R. 6. Land hilly, soil good; Timber, Hickory, Oak, Sugar, Dogwood; Spice.
 North Corrected the line between Sections 13 & 19, and moved temporary Dr. Sec. Post, and set it at average distance on true line; from which a W. Oak, 11 ins. diam. bears S. 42 E. 5 links, and a Beech, 4 ins. diam. bears N. 89 W. 40 links distant.
 Continued true line, and hit the Center Post; set it, for corner of Sections 13, 14, 19, 20; from which a Beech, 11 ins. diam. bears S. 67 W. 19 links, and a Sugar, 5 ins. diam. bears N. 52 E. 9 links distant.
 East Traveled between Sections 13 & 14, and set

Township 10, Range 6-7 Range.

Chs. Lks.	
	the Dr. Sec. Post; from which a Service, 6 ins. diam. bears N. 44 E. 6 links, and a Sugar, 8 ins. diam. bears S. 51 W. 39 links distant.
West	Traveled between Sections 19 & 20, and set the Dr. Sec. Post; from which a B. Ash, 11 ins. diam. bears N. 52 E. 22 links, and a B. Ash, 14 ins. diam. bears S. 31 W. 33 links distant.
North	Continued true line between Sections 14 & 20, and moved temporary Dr. Sec. Post, and set it at average distance, on true line; from which a Poplar, 7 ins. diam. bears S. 57 E. 27 links, and a Poplar, 8 ins. diam. bears N. 86 W. 17 links distant.
East	From Post, corner of Sections 21, 22, 27, 28 - Random Line between Sections 21 & 22.
40.00	Set temporary Quarter Section Post.
44.50	A Brook, 4 links wide, course North.
60.00	A Brook, 4 links wide, course North.
80.00	Set temporary Center Post, 3 chs. 50 lks. in a Swamp. Land all hilly, except the Swamp, soil poor; Timber, Oak, Hickory, Dogwood.
East	Continued Random Line, between Secs. 15 & 16.
15.00	Leave the Swamp.
13.50	Boggs' Fork of Stillwater, 50 lks. wide, course N. W.
40.00	Set temporary Quarter Section Post.
47.00	Boggs' Fork of Stillwater, 50 lks. wide, course S. W.
53.00	Same Creek, 50 links wide, course North.

Township 10, Range 6-7 Range.

Chs. Lks.	
80.00	Fell 41 links North of Post, corner of Sections 9, 10, 15, 16, T. 10, R. 6. Land level, soil good, all except the Swamp; Timber, Oak, Hickory, Ash, Beech, Elm, Spice.
West	Corrected the line between Sections 15 & 16, and set the temporary Dr. Sec. Post at average measure on true line. Continued true line, and set the temporary Center Post at average measure, on true line.
West	Corrected the line between Sections 21 & 22, and set the temporary Dr. Sec. Post at average measure on true line.
South	Random Line between Sections 15 & 21.
40.00	Set temporary Quarter Section Post.
46.50	A Brook, 5 links wide, course S. E.
81.00	Fell 19 links East of Post, corner of Sections 14, 15, 20, 21, T. 10, R. 6. Land hilly, soil good; Timber, Oak, Hickory, Sugar, Dogwood & Spice.
North	Corrected the line between Sections 15 & 21, and moved temporary Dr. Sec. Post, and set it at average distance, on true line; from which a Beech, 6 ins. diam. bears N. 19 W. 25 links, and a Beech, 10 ins. diam. bears S. 38 E. 15 links distant. Continued true line, and fell 25 links West of temporary Center Post. Set it at intersection, corner of Sections 15, 16, 21, 22; from which a B. Ash, 5 ins. diam. bears N. 26 W. 15 links, and a Maple, 5 ins. diam. bears S. 36 E. 12 links distant.

Township 10, Range 6-7 Ranges.

Chs. Lks.
 East Traveled between Sections 15 & 16, and moved temporary Tr. Sec. Post, and set it at average distance on true line; from which a B. Ash, 14 ins. diam. bears S. 68 E. 6 links, and a B. Ash, 10 ins. diam. bears N. 73 W. 36 links distant.

West Traveled between Sections 21 & 22, and moved temporary Tr. Sec. Post, and set it at average distance on true line; from which a W. Oak, 18 ins. diam. bears N. 39 W. 57 links, and a W. Oak, 17 ins. diam. bears S. 70 E. 6 links distant.

x x x x x x x x

May 29, 1805.

East Grou Post on Range Line, corner of Secs. 31 & 32. Random Line between Sections 31 & 32.

11:00 A Brook, 3 links wide, course N.
 36:00 Set temporary Quarter Section Post.
 43:50 A Brook, 6 links wide, course North.
 72:00 Set temporary Center Post.

Land hilly, soil thin; Timber, Oak, Hickory, Chestnut and Dogwood.

East Continued Random Line between Secs. 25 & 26.

22:50 A Brook, 4 links wide, course South.
 40:00 Set temporary Quarter Section Post.
 43:00 A Brook, 4 links wide, course South.
 80:00 Fell 147 links North of Post, corner of Sections 19, 20, 25, 26, T. 10, R. 6.

Land hilly, soil good; Timber, Oak, Hickory, Chestnut, Poplar; Dogwood.

West Corrected the line between Sections 25 & 26,

Township 10, Range 6-7 Ranges. 793

Chs. Lks.
 and set the temporary Tr. Sec. Post on the true line, at average distance. Continued true line, and set temporary Center at average distance.
 West Continued true line between Secs. 31 & 32, and set temporary Tr. Sec. Post at average distance, on true line.

May 30, 1805.

South Grou Post, corner of Sections 26, 27, 32, 33. Random Line, between Sections 26 & 32.

16:50 A Brook, 9 links wide, run East.
 40:00 Set temporary Quarter Section Post.
 79:40 Crossed the East and West Line.

Land hilly, soil good; Timber, Oak, Hickory; Dogwood.

South Continued Random Line, between Secs. 25 & 31.

25:50 A Brook, 4 links wide, course West.
 40:00 Set temporary Quarter Section Post.
 72:50 A Brook, 6 links wide, course East.

80:00 Fell 26 links West of Post, on Township Line, corner of Sections 25 & 31, T. 10, R. 6. Land hilly, soil good; Timber, Hickory, Oak, Chestnut, Dogwood.

North Corrected the line between Secs. 25 & 31, and moved temporary Tr. Sec. Post, and set it at average distance, on true line; from which a W. Oak, 10 ins. diam. bears N. 54 W. 25 links, and a W. Oak, 18 ins. diam. bears S. 84 E. 14 links distant.

Continued on true line, and hit the temporary Center Post, and established it at intersection,

Township 10, Range 6-7 Ranges.

chs. lks.
 corner to Sections 25, 26, 31, 32; from which
 a Poplar, 14 ins. diam. bears S. 85 E. 7
 links, and a B. Oak, 24 ins. diam. bears
 N. 78 W. 29 links distant.

East Traveled between Sections 25 & 26, & moved
 temporary Dr. Sec. Post, and set it at
 average distance, on true line; from which
 a W. Oak, 28 ins. diam. bears S. 40 E. 33
 links, and a Gum, 6 ins. diam. bears
 N. 29 W. 7 links distant.

West Traveled between Sections 31 & 32, and moved
 temporary Dr. Sec. Post, and set it at av-
 erage distance, on true line; from which
 a W. Oak, 13 ins. diam. bears N. 65 W.
 25 links, and a W. Oak, 17 ins. diam. bears
 S. 21 E. 13 links distant.

North Continued true line between Sections 26 & 32,
 and moved temporary Dr. Sec. Post, and
 set it at average distance, on true line;
 from which a Poplar, 9 ins. diam.
 bears N. 79 W. 10 links, and a Dogwood,
 4 ins. diam. bears S. 80 E. 10 lks. distant.

May 26, 1805.

From Post on Range Line, corner of
Sections 33 & 34-

East Raddow Line between Sections 33 & 34.
 30.00 To a Swamp.
 36.00 Set temporary Quarter Section Post.
 56.00 To East side of Swamp; general course N. & S.
 64.00 Stillwater Creek, 100 links wide, course North.

Township 10, Range 6-7 Ranges.

chs. lks.
 72.00 Set temporary Center Post.
 Land hilly, except the Swamp, soil poor; tim-
 ber, Oak and Hickory; on the margin of the
 Swamp, Maple and Ash, Dogwood; in the
 Swamp, Alder and Rose Bush.

East Continued Raddow Line between Secs. 27 & 28.
 31.50 A Brook, 4 links wide, course South.
 40.00 Set temporary Quarter Section Post.
 79.00 Hit the Post, corner of Sections 21, 22, 27, 28.
 Land hilly, soil poor; Timber, Oak and Hick-
 ory; 1 Shortberry.

West Blazed the line between Sections 27 & 28,
 and between Sections 33 & 34.
 x x x x x x x x x x

South Continued Raddow Line between Secs. 27 & 33.
 2.50 Stillwater Creek, 80 links wide, course West.
 20.00 A Swamp lays 3 chs. to the South side, extends
 chiefly to the West.
 40.00 Set temporary Quarter Section Post.
 67.00 A Brook, 8 links wide, course East.
 80.00 Fell 30 links East of Post, corner of Sections
 26, 27, 32, 33, T. 10, R. 6.
 Land hilly, soil good; Timber, Oak, Hickory;
 Dogwood.

North Corrected the line between Sections 27 & 33.
 Moved temporary Dr. Sec. Post, and set it
 at average measure, on true line; from
 which a Beech, 10 ins. diam. bears N.
 43 W. 13 links, and a Maple, 5 ins. diam.
 bears South 16 links distant.
 Continued true line, and fell 13 links West of

Township 10, Range 6-7 Ranges.

Temporary Center Post. Set it at intersection, corner of Sections 27, 28, 33, 34; from which a W. Oak, 40 ins. diam. bears N. 63 W. 42 links, and a W. Ash, 5 ins. diam. bears S. 77 E. 15 links distant.

East ^{Traveled} Between Sections 27 & 28, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 14 ins. diam. bears S. 25 W. 62 links, and a W. Oak, 24 ins. diam. bears N. 25 E. 5 links distant.

West Traveled between Sections 33 & 34, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which an Elm, 8 ins. diam. bears S. 48 E. 19 links, and a Beech, 6 ins. diam. bears N. 55 W. 32 links distant.

x x x x x x x x

Surveyed in 1805, by
Benj. F. Stickney,
Deputy Surveyor.

[Omitted at page 789.]

May 29, 1805.

From Post, corner of Sections 19, 20, 25, 26, ran Random Line between Sections 19 & 20.

Written in this order in original notes.

East

17.50

A Brook, 15 links wide, course North.

12.00

Stillwater creek, 75 lbs. wide, course North.

5.00

Same creek, 75 links wide, course South.

40.00

Set temporary Quarter Section Post.

65.00

Stillwater creek, 75 links wide, course North.

80.00

Set temporary Center Post.

Land hilly, soil good; Timber, Oak, Hickory, Lym, Sugar, Elm, Dogwood, Ash.

East

1.80

Continued Random Line, between Sections 13 & 14.

5.00

Stillwater creek, 75 links wide, course S. W.

40.00

Same creek, 70 links wide, course North.

58.50

Set temporary Quarter Section Post.

80.00

A Brook, 8 links wide, course South.

Fell 15 links South of Post, corner of Sections 7, 8, 13, 14, T. 10, R. 11.

Land hilly, soil good; Timber, Oak, Hickory, Sugar, Elm, Beech, Dogwood.

West

Corrected the line between Secs. 13 & 14, and set temporary Tr. Sec. Post at average distance on true line.

Continued true line, and set temporary Center Post on true line, at average distance.

West

Continued true line between Secs. 19 & 20, and set the temporary Tr. Sec. Post at average measure, on true line.

Township 7, Range 6.

(Omitted at page 641.)

West 3.00 Between Sections 4 & 5, [T. 7, R. 6.]
 A Run, 3 links wide, runs South.
 50.70 A Run, 4 links wide, runs South. Over poor
 thin soil of land, thickly timbered with Oak,
 soplings, and brush thick.
 80.00 Set a Post, corner of Sections 4, 5, 10, 11;
 where a W. Oak, 10 ins. diam. bears N. 12
 E. 31 links, and a W. Oak, 12 ins. diam.
 bears S. 27 W. 19 links distant.
 Middle soil of land; Timber, Oak, Hickory
 and Dogwood.

West 15.00 Between Sections 10 & 11.
 Over poor land, to a Run, 7 links wide, runs
 East.
 80.34 Fell 24 links South of the corner of Section
 10, 11, 16, 17; where a W. Oak, 16 ins. diam.
 bears N. 71 W. 15 links, and a W. Oak, 15
 ins. diam. bears S. 49 E. 27 links distant.
 This mile hilly, broken by gullies; thin
 soil; Timber, Oak, Hickory & Dogwood.

United States of America, Ohio,
 Secretary of State's Office, I, Isaac R. Shrewood
 Secretary of State of
 the State of Ohio, do hereby certify that
 the foregoing record of the surveys
 of the Townships in the Old Seven Range
 embraced in the county of Belmont
 Ohio, is a full & correct copy from
 the original Field Book and the
 Records deposited in this office.



In testimony whereof, I
 hereunto subscribe my
 name and affix the Great
 Seal of the State of Ohio,
 at Columbus, this 10th
 day of August, A.D. 1870.

Isaac R. Shrewood
 Secretary of State.