

Chs. Hs.

North Boundary.

From Post

West 1st Mile - [North side of Section 6.] Thence

25.65 A W. Oak, 24 ins. diam., Notched E. & W. sides.

56.79 A W. Oak, 12 inches diameter.

80.00 A Sugar, 4 ins. diam. bears S. 80 W. 13 links, and
a Lym, 10 ins. diam. bears S. 82 E. 40 links.
distant. [corner of Sections 6 & 12.]

About $\frac{1}{5}$ of this mile is rich bottom land, suitable for meadow and pasturage; the remainder is generally good upland for the cultivation of wheat, rye, indian corn, tobacco, and hemp; covered with Oak, Hickory, Beech, &c. The bottom land is timbered with Elm, Walnut, Oak, Sugar, Chestnut, Beech and Hickory.

West 2^d Mile - [North side of Section 12.]

40.50 A W. Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 12 & 15,] from which
a B. Oak, 12 ins. diam. bears S. 52 W. 24
links, and an Ash, 6 ins. diam. bears N. 87
E. 45 links distant.

The soil along the line of this mile is generally of an excellent quality, proper for the cultivation of indian corn, hemp, tobacco, wheat, rye, &c.; covered with Oak, Elm, Walnut, Hickory and Beech.

West 3^d Mile - [North side of Section 18.]

33.64 A W. Oak, 36 inches diameter.

80.00 An Elm, 3 ins. diam., [corner of Secs. 18 & 24,]
from which a Buckeye, 8 ins. diam. bears
S. 36 W. 8 links, and a Buckeye, 6 ins. diam.
bears N. 52 W. 24 links distant.

Township 9, Range 6-7 Ranges.

6th. M.

The soil along this mile is generally rich, but the land is hilly, and in some places rocky; except the last 20 chs. which is good bottom land, suitable for meadow and pasturage.

West 4th Mile - [North side of Section 24.]

36.83 A W. Oak, 12 inches diameter.

80.00 Set Post, [corner to Sections 24 & 30] from which a B. Oak, 24 ins. diam. bears N. 29 E. 20 links, and a Hickory, 6 ins. diam. bears S. 29 W. 23 links distant.

The soil on the line for this mile is generally of a middling quality, proper for the cultivation of wheat, rye, indian corn; covered with W. & B. Oak, Hickory and Dogwood.

West 5th Mile - [North side of Section 30.]

59.83 A W. Oak, 20 inches diameter.

80.00 A Dogwood, 3 ins. diam. [corner of Secs. 30 & 36] from which a W. Oak, 18 ins. diam. bears S. 73 1/2 W. 42 links, and a W. Oak, 12 ins. diam. bears N. 62 E. 9 links distant.

The soil along the line for this mile, is generally of a middling quality, proper for the cultivation of wheat, rye, indian corn; covered with Oak of different kind, Hickory and Dogwood.

West 6th Mile - [North side of Section 36.]

28.00 A W. Oak, 18 inches diameter.

80.00 Intersected the South line of the 6th Range, 13 chs. 33 Mts. North of the corner; from which a Hickory, 8 ins. diam. bears N. 77 E. 40 links, and a Hickory, 8 ins. diam. bears S. 52 W. 33 links distant.

Township No. 9, Range 6-7 Ranges.

6th. M.

The soil on the line for this mile is generally of a middling good quality, proper for the cultivation of wheat, rye, indian corn, &c.

East Boundary.

Town Post Thence -

1st Mile - [East side of Section .]

25.52 A W. Oak, 12 inches diameter.

46.89 A Spruce Oak, 16 inches diameter.

52.86 A W. Oak, 10 inches diameter.

69.12 A B. Oak, 20 inches diameter.

80.00 Set Post, [corner of Section .] from which a Beech, 13 ins. diam. bears S. 53° 55' E. 18 Mts., and a Chestnut, - ins. diam. bears S. 5 3/4 W. 63 links distant.

This mile is about one-third fine wheat land, and all the rest extremely rich. The little bottom is timbered with B. Walnut and Sugar, which also grow upon the upland, with the addition of large Oak and Hickory.

2d Mile - [East side of Section .]

18.10 A W. Oak, 10 inches diameter.

24.66 A W. Oak, 16 inches diameter.

49.79 A W. Oak, 29 inches diameter.

72.47 An Elm, 12 inches diameter.

80.00 Set Post, [corner to Sections .] from which a W. Oak, 18 ins. diam. bears N. 77 1/2 W. 32 Mts., and a W. Oak, - ins. diam. bears N. 4 1/4 W. 25 links distant.

This mile is very good wheat land, timbered with middling sized Oak and Hickory; in the little Bottoms are Elm, Ash, Lym, Walnut and Sugar.

Township 9, Range 6-7 Ranges

6th M^{ile}
 5.70 A W. Oak, 18 inches diameter.
 19.34 A W. Oak, 20 inches diameter.
 41.39 A Sugar, 7 inches diameter.
 71.06 A W. Oak, 36 inches diameter.
 80.00 Set Post, [corner to Sections 344,] from which
 a W. Ash, 20 ins. diam. bears S. 89° 10' E. 32
 links and an Elm, 24 ins. diam. bears
 S. 26° 35' E. 45 links distant.
 Half of this mile very fine wheat land; the
 rest immensely rich, and timbered with large
 B. & W. Oak, Hickory, Walnut and Sugar.

4th Mile - [East side of Section .]
 15.47 An Elm, 24 inches diameter.
 21.06 An Elm, 24 inches diameter.
 55.81 A B. Walnut, 36 inches diameter.
 70.80 A B. Oak, 20 inches diameter.
 80.00 Set Post, [corner to Sections .] from which
 a W. Oak, 24 ins. diam. bears N. 81 1/2° E. 38 links,
 and a W. Oak, 17 ins. diam. bears N. 18° 46 1/2
 links distant.
 This mile has an excellent bottom of very rich
 land, timbered as usual, the soil rich as possi-
 ble; Timber, B. & W. Oak, Hickory, Walnut, Sugar.

5th Mile - [East side of Section .]
 5.61 A Sugar, 13 inches diameter.
 11.26 A W. Oak, 24 inches diameter.
 39.92 A W. Oak, 19 inches diameter.
 75.27 A Swamp Oak, 18 inches diameter.
 80.00 Set Post, [corner to Sections .] from which
 a Sugar, 30 ins. diam. bears N. 69 3/4° W. 23 1/2 links, and an
 Elm, 15 ins. diam. bears S. 18 1/2° W. 15 1/2 links distant.

Township 9, Range 6-7 Ranges

6th M^{ile}
 This mile has a very rich bottom of B. Walnut,
 Sugar, Elm, Ash, Lynam, Buckeye and Hickory;
 one half of the upland is extremely rich, the
 other is good wheat land, and all well timbered

6th Mile - [East side of Section .]
 26.15 A W. Oak, 17 inches diameter.
 73.70 A Chestnut, 24 inches diameter.
 73.92 A Hickory, 12 inches diameter.
 80.00 Set Post from which
 a Maple, 14 ins. diam. bears N. 22 1/2° E. 28 1/2
 links, and a Hickory, 15 ins. diam. bears
 S. 50 1/4° E. 30 links distant.
 This mile, one half very fine wheat land, timbe-
 red with Hickory B. & W. Oak. The other part ex-
 tremely rich, and in addition to the Oak and
 Hickory, are B. Walnut and Sugar.
 [Nothing in the original field notes to indi-
 cate whether these lines were run North or South.]

West Boundary

From Post -
 South 1st Mile - [West side of Section 36.]
 38.52 A W. Oak, 8 inches diameter.
 49.74 An Oak, 12 inches diameter.
 80.00 Set Post, [corner to Sections 35 & 36] from
 which a W. Oak, 14 ins. diam. bears S. 66
 W. 5 links, and a W. Oak, 12 ins. diam. bears
 N. 67° E. 17 1/2 links distant.
 Land along this mile hilly, in some places
 stony; soil of a good quality for wheat
 and other grain; Timber, large Oak, Hick-
 ory, Beech, &c.

6th. 2^d Mile - [West side of Section 35.]
 14.59 A W. Oak, 40 inches diameter.
 25.66 A W. Oak, 12 inches diameter.
 63.26 A Hickory, 12 inches diameter.
 80.00 Set Post, [corner to Sections 34 & 35,] from which a Chestnut Oak, 24 ins. diam. bears N. 80 W. 7/8 links, and a Beech, 8 ins. diam. bears N. 40 1/2 E. 17 1/2 links distant.
 Land hilly, soil rich, equal to the production of wheat; Timber, Oak, Hickory, Maple, Chestnut and Dogwood.

South 3^d Mile - [West side of Section 34.]
 21.53 A Hickory, 12 inches diameter.
 66.22 A W. Oak, 20 inches diameter.
 80.00 Set Post, [corner to Sections 33 & 34,] from which a W. Oak, 20 ins. diam. bears S. 65 E. 12 1/2 links, and a Sugar, 10 ins. diam. bears N. 57 W. 8 1/2 links distant.
 Land hilly and rich, and equal to the production of wheat, corn, &c.; Timber, Oak, Hickory, Poplar, Dogwood.

South 4th Mile - [West side of Section 33.]
 24.22 A Sugar, 12 inches diameter.
 46.51 A W. Oak, - inches diameter.
 55.55 A B. Oak, 18 inches diameter.
 80.00 Set Post, [corner to Sections 32 & 33,] from which a W. Oak, 36 ins. diam. bears S. 68 E. 53 links, and a R. Oak, 20 ins. diam. bears S. 87 1/2 W. - links distant.
 Land along this mile is hilly, soil rich, and would produce wheat, indian corn and tobacco; Timber, Oak, Hickory, Ash, Walnut and Spice.

6th. 5th Mile - [West side of Section 32.]
 31.81 A Hickory, 8 inches diameter.
 64.71 A Sugar, 12 inches diameter.
 78.74 A Sugar, 12 inches diameter.
 80.00 Set Post, [corner to Sections 31 & 32,] from which a W. Oak, 20 ins. diam. bears N. 82 W. 48 links, and a Hickory, 20 ins. diam. bears N. 81 1/2 E. 54 links distant.
 Soil and timber along this mile the same as described in the 4th Mile.

South 6th Mile - [West side of Section 31.]
 51.94 A R. Oak, 30 inches diameter.
 68.77 A Chestnut, - inches diameter.
 80.00 Set Post from which a W. Oak, 18 ins. diam. bears N. 25 E. 25 links, and a B. Oak, 24 ins. diam. bears S. 3 E. 43 links distant.
 Land along this mile is very hilly, and in some places broken with stones; soil in general thin; Timber, Oak, Hickory, Dogwood, Beech and Gum.

South Boundary.

[The course of this mile is not shown in the original notes, but is undoubtedly East.]
 East 1st Mile - [South side of Section 31.]
 18.12 A Sugar, 10 inches diameter.
 39.50 A Sugar, - inches diameter.
 66.67 A Red Oak, 24 inches diameter.
 80.00 Set Post, [corner to Sections 25 & 31,] from which a Sugar, 10 ins. diam. bears S. 10 E. 24 links, and a Sugar, 18 ins. diam. bears N. 35 1/2 W. 40 links distant.

Township 9, Range 6-7 Ranges.

- 6th M. The soil along this mile is very rich, and would produce good indian corn, tobacco, &c.; Timber, Oak, Hickory, Sugar, Beech, Walnut, and Spice.
- East 2^d Mile — [South side of Section 25.]
- 629 A Buckeye, 24 inches diameter.
- 19.67 A Sugar, — inches diameter.
- 56.33 A Red Oak, 20 inches diameter.
- 80.00 Set Post, [corner to Sections 19 & 25,] from which a Beech, 14 ins. diam. bears N. 27 W. 56 1/2 links, and a Beech, 20 ins. diam. bears S. 58 1/2 E. 44 links distant.
- The land along this mile is hilly, soil rich; Timber, same as on first mile.
- East 3^d Mile — [South side of Section 19.]
- 49.00 A W. Walnut, 20 inches diameter.
- 69.87 A large Brook, running N. E., which contains sufficient water to turn a mill.
- 80.00 Set Post, [corner to Sections 13 & 19,] from which an Elm, 20 ins. diam. bears S. 5 E. 27 links, and a Poplar, 12 ins. diam. bears N. 30 E. 31 links distant.
- Face of the country, soil and timber, the same as described in the first mile.
- East 4th Mile — [South side of Section 13.]
- 24.96 A W. Walnut, 12 inches diameter.
- 59.23 A Forked Walnut.
- 67.00 A large Brook, 50 links wide, with sufficient water to turn a mill.
- 80.00 Set Post, [corner to Sections 7 & 13,] from which an Elm, 16 ins. diam. bears N. 11 W. 57 links,

Township 9, Range 6-7 Ranges.

- 6th M. and a Buckeye, 10 ins. diam. bears S. 24 1/2 E. 15 1/2 links distant.
- Land, soil and timber, the same as described in the first mile.
- East 5th Mile — [South side of Section 7.]
- 24.47 An Ash, 12 inches diameter.
- 71.86 A B. Oak, 15 inches diameter.
- 80.00 Set Post, [corner to Sections 14 & 7,] from which a B. Oak, 24 ins. diam. bears S. 16 W. 20 links, and a Chestnut, 36 ins. diam. bears N. 24 1/2 W. 44 links distant.
- Land along the first 40 chs. is rich, and equal to the production of indian corn and tobacco; the remainder of the mile, the soil is equal to the production of wheat, &c.
- East 6th Mile — [South side of Section 1.]
- 51.94 A Red Oak, 36 inches diameter.
- 68.77 A Chestnut, — inches diameter.
- 79.60 To the West Boundary Line of the 5th Range. Set Post therein; from which a B. Oak, 24 ins. diam. bears S. 3 E. 43 links, and a W. Oak, 18 ins. diam. bears N. 25 E. 25 links distant.
- Land along this mile, in some places broken with Stones; soil equal to the production of wheat; Timber, Oak, Chestnut, Gum & Dogwood.

Surveyed in 1786, by
James Simpson,
Surveyor for Maryland.

Chs. Lks.

October 9th, 1801.

Beginning at the South East Corner of Section 1, in Township 9, of Range 6; where a W. Oak, 22 ins. diam. bears N. 15 E. 22 links, and a W. Oak, 11 ins. diam. bears S. 12 W. 29 1/2 links distant. Trees marked by plan. Then-

North On East Boundary of Section 1.

11.78 Town Corner on the East.

16.78 A Brook, 8 links, E.

17.54 A Hickory, 10 inches diameter.

48.41 A Chestnut, 30 inches diameter.

57.28 A Brook, 8 links, E.

64.36 A W. Oak, 15 inches diameter.

66.78 A Spring, E.

80.00 1 Mile Post, in a Brook, 3 links, E., corner to Sections 1 & 2; where a W. Oak, 14 ins. diam. bears S. 3 E. 29 1/2 links; and a W. Oak, 14 ins. diam. bears N. 58 W. 33 links distant. - Trees marked by plan.

Over very hilly land, soil poor and stony; Timber, W. Oak

North On East Boundary of Section 2.

15.18 A W. Oak, 16 inches diameter.

20.28 A Brook, 40 links, W.

39.78 Post Road.

50.86 A Hickory, 9 inches diameter.

57.79 A Hickory, 11 inches diameter.

67.48 A Hickory, 8 inches diameter.

77.90 A W. Oak, 19 inches diameter.

80.00 2 Mile Post, corner to Sections 2 & 3, ^{in a Brook, 3 lks. wide,} where a Gum, 14 ins. diam. bears S. 34 E. 23 1/2 links, and a W. Oak, 31 ins. diam. bears N. 60 W. 42 links distant. Trees marked, &c.

Chs. Lks.

Over hilly land, soil poor and stony; Timber, W. Oak.

North On East Boundary of Section 3.

19.00 A B. Oak, 16 inches diameter.

28.18 A Spring, N. 10 E.

35.02 A B. Walnut, 36 inches diameter.

38.18 A Brook, 8 links, E.

53.87 A Hickory, 12 inches diameter.

58.18 A Brook, 8 links, E.

61.78 A small farm.

66.31 A Lyrus, 26 inches diameter.

68.18 A Brook, 15 links, N. 30 W.

80.00 3 Mile Post, corner to Sections 3 & 4; where a W. Oak, 10 ins. diam. bears N. 17 W. 22 lks., and a W. Oak, 18 ins. diam. bears S. 28 1/2 W. 27 links distant. Trees marked by plan. Over hilly land, soil 2^d rate; Timber, Oak, Hickory, and some Sugar.

North Continued, on East Boundary of Section 4.

.06 Cross a Brook 3 times, 10 W.

10.00 A small farm.

11.78 Broadheads Trail.

13.28 A Spring, W.

42.78 A Brook, 4 links, S. 20 E.

46.95 A Sugar, 8 inches diameter.

80.00 4 Mile Post, corner to Sections 4 & 5; where a W. Oak, 15 ins. diam. bears S. 6 W. 25 1/2 links, and a W. Oak, 11 ins. diam. bears N. 61 E. 16 1/2 links distant. Trees marked by plan. Over hilly land, soil rich; Timber, Oak, Hickory, Sugar, &c.

North Continued, on East Boundary of Section 5.

2.07 A W. Oak, 14 inches diameter.

Township 9, Range 6-7 Ranges

Ch. No.	Description
3.24	A Brook, 3 links, W.
4.72	A W. Oak, 10 inches diameter.
7.53	A W. Oak, 12 inches diameter.
12.28	A Brook, 10 links, W.
13.28	A Linn, 14 inches diameter.
15.45	A Hickory, 10 inches diameter.
15.78	A Brook, 3 links, W.
37.54	A W. Oak, 19 inches diameter.
62.44	A W. Oak, 10 inches diameter.
68.17	A W. Oak, 10 inches diameter.
80.00	5 Mile Post, corner to Sections 5 & 6; where a W. Oak, 12 ins. diam. bears N. 2 W. 23 links, and a Chestnut, 17 ins. diam. bears S. 15 E. 24 links distant. Trees marked by plan. Over hilly land, soil thin; Timber, W. Oak, Hickory and Beech.
North	Continued, on East Boundary of Section 6.
3.38	A Beech, 9 inches diameter.
29.78	Forks of Brook, 6 links, W.
33.38	A W. Oak, 9 inches diameter.
36.62	A B. Oak, 17 inches diameter.
39.28	A B. Oak, 17 inches diameter.
46.48	A W. Oak, 20 inches diameter.
50.78	A Brook, 30 links, W.
60.48	A W. Oak, 10 inches diameter.
67.34	A W. Oak, 32 inches diameter.
68.78	A W. Oak, 12 inches diameter.
72.25	To Town corner on the East.
85.50	N. E. corner of Section 6. Trees marked by plan. First half mile over hilly land, soil rich; Timber, Oak, Hickory, Sugar tree, Walnut, &c.; then over poor hilly W. Oak land. 9th Oct. 1801. Then repaired to the South Boundary.

Township 9, Range 6-7 Ranges.

Ch. No.	Description
West	On the South Boundary of Section 1.
7.50	A Brook, 4 links, S. 38 E.
11.21	A Chestnut, 18 inches diameter.
41.50	A Brook, 8 links, N.
47.50	A Brook, 8 links, N.
80.00	1 Mile Post, corner to Sections 1 & 7; where a Sugar tree, 14 ins. diam. bears N. 60 W. 14 1/2 links, and a Chestnut, 28 ins. diam. bears N. 21 E. 23 1/2 links distant. Trees marked by plan. Over hilly land, soil poor; Timber, Oak and Hickory; undergrowth the same.
West	On South Boundary of Section 7.
2.38	A B. Oak, 18 inches diameter.
23.50	A Brook, 3 links, S.
37.02	A Sugar tree, 10 inches diameter.
49.16	An Ash, 13 inches diameter.
55.00	A Spring, N.
56.00	A Brook, 3 links, N.
70.65	A W. Oak, 26 inches diameter.
73.00	A Brook, 3 links, N.
80.00	2 Mile Post; corner made in a small form; where a W. Oak, 13 ins. diam. bears N. 59 W. 26 1/2 links, and a W. Oak, 10 ins. diam. bears N. 47 1/2 E. 16 1/2 links distant. Trees marked, &c. Land, &c. same as last mile.
North	Between Sections 7 & 13.
3.50	A Brook, 4 links, W.
10.98	A Sugar tree, 12 inches diameter.
12.00	A Brook, 6 links, W.
12.91	A W. Oak, 12 inches diameter.
17.12	A W. Oak, 7 inches diameter.
42.50	A Brook, 3 links, W.

Township 9, Range 6-7 Ranges.

6th. Sec.	
43.63	An Elm, 18 inches diameter.
44.00	Stillwater, 50 links, N. 10 E.
44.82	A Sycamore, 56 inches diameter.
54.00	Same creek, N. 10 W.
58.00	Same creek, N. 10 E.
67.50	Same creek, N. 10 W.
74.43	A Hickory, 20 inches diameter.
79.00	Post Road.
80.00	1 Mile Post, corner to Sections 7, 8, 13, 14; where an Ironwood, 8 ins. diam. bears N. 47 W. 9 links, and a Sugar tree, 8 ins. diam. bears S. 53 E. 26 1/2 links distant. Trees marked by plan. Over uneven land, soil rich; Timber, Oak, Beech, Sugar tree, &c.; bottom rich and narrow.
North continued, between Sections 8 & 14.	
5.00	A Brook, 4 links, W.
8.88	A W. Walnut, 13 inches diameter.
17.80	A Sycamore, 70 inches diameter.
19.50	Stillwater, 50 links, E.
23.00	A Brook, 15 links, E.
25.00	A small Farm.
26.84	A W. Oak, 8 inches diameter.
29.55	A Sugar tree, 10 inches diameter.
33.45	A W. Oak, 15 inches diameter.
33.76	A W. Oak, 13 inches diameter.
40.50	A Sugar tree, 10 inches diameter.
50.50	A Brook, 8 links, E.
61.00	A Brook, 5 links, S. 10 W.
71.00	A Brook, 3 links, S. 10 E.
80.00	2 Mile Post, corner to Sections 8, 9, 14, 15; where a W. Oak, 18 ins. diam. bears S. 30 W. 21 links, and a W. Oak, 18 ins. diam. bears N. 6 E. 17 links distant. Trees marked by plan.

Township 9, Range 6-7 Ranges.

6th. Sec.	
	First half mile rich bottom land; then over poor and hilly W. Oak land.
East On Random Line.	
51.00	Stillwater, 10th October, 1801.
80.00	Random Post.
79.87	N. Line, 6. S. 40 links
West Between Sections 2 & 3.	
2.50	A Brook, 4 links, S.
5.57	A W. Oak, 30 inches diameter.
5.76	A W. Oak, 23 inches diameter.
6.69	A W. Oak, 23 inches diameter.
7.73	A W. Oak, 18 inches diameter.
7.93	A W. Oak, 18 inches diameter.
10.69	A Beech, 10 inches diameter.
17.50	A Spring, S. 60 W.
22.50	A Brook, 40 links, N.
26.71	A Sugar tree, 22 inches diameter.
59.31	A W. Walnut, 22 inches diameter.
78.00	A Brook, 3 links, N.
80.00	1 Mile Post, corner to Sections 2, 3, 8, 9; where a Sugar tree, 10 ins. diam. bears N. 9 W. 32 links, and a Beech, 12 ins. diam. bears S. 2 E. 47 links distant. Trees marked by plan. Over hilly land, soil rich; Timber, Beech, Sugar tree, Walnut, &c.
West continued, between Sections 8 & 9.	
1.54	A Beech, 10 inches diameter.
3.00	A Brook, 3 links, N.
9.50	A Spring, N. 50 E.
25.69	A Sugar tree, 22 inches diameter.
29.50	Stillwater, 50 links, N.

Township 9, Range 6-7 Ranges.

Chs. Lks.	
30.13	An Elm, 14 inches diameter.
31.78	An Elm, 16 inches diameter.
51.43	A W. Oak, 12 inches diameter.
80.00	2 Mile Post, already set. Land the same as above.
North Between Sections 9 & 15.	
8.60	A W. Oak, 10 inches diameter.
13.03	A Poplar, 18 inches diameter.
28.83	A Poplar, 9 inches diameter.
29.94	A Hickory, 10 inches diameter.
51.65	An Elm, 12 inches diameter.
62.22	A Sugar tree, 8 inches diameter.
66.00	A Brook, 8 links, E.
77.63	A W. Oak, 18 inches diameter.
80.00	3 Mile Post, corner to Sections 9, 10, 15, 16; where a W. Oak, 12 ins. diam. bears N. 28 W. 19 Ms. and a W. Oak, 12 ins. diam. bears S. 45 E. 24 1/2 links distant. Trees marked by plan. Over rich hills; Timber, Oak, Hickory, Walnut, Sugar tree, Poplar, &c.
North Between Sections 10 & 16.	
2.73	A W. Oak, 12 inches diameter.
15.63	A B. Oak, 20 inches diameter.
18.50	A forked Brook, 8 links, E.
41.00	Broodhead's Trail.
45.19	A Chestnut, 36 inches diameter.
45.60	A B. Oak, 26 inches diameter.
64.70	A W. Oak, 16 inches diameter.
80.00	4 Mile Post, corner to Sections 10, 11, 16, 17; where a W. Oak, 33 ins. diam. bears South 10 1/2 links, and a W. Oak, 11 ins. diam. bears N. 61 W. 46 Ms. distant Trees marked by plan. Over uneven land, soil D note; Timber, Oak & Hickory.

Chs. Lks.	
East On Random Line, 12th Oct. 1801.	
80.00	Random Post.
79.88	N. Live, E. N. 20 links.
West Between Sections 4 & 5.	
2.97	A B. Oak, 19 inches diameter.
6.77	A B. Walnut, 18 inches diameter.
10.36	A W. Oak, 13 inches diameter.
12.00	A Brook, 15 links, S. - crossed 3 times.
50.50	A W. Oak, 32 inches diameter.
73.00	Stillwater, 80 links, N.
77.50	A Shoarup, 900 links.
80.00	1 Mile Post, corner of Sections 4, 5, 10, 11; where a Maple, 6 ins. diam. bears N. 7 W. 9 1/2 links, and a Maple, 8 ins. diam. bears S. 7 E. 18 1/2 Ms. distant. Trees marked by plan. Over hilly land, soil D note; Timber, Oak, Hickory, Beech, &c.
West continued, between Sections 10 & 11.	
12.50	A Spring, 8 links, E.
14.64	A W. Oak, 12 inches diameter.
21.61	A W. Oak, 18 inches diameter.
22.07	A W. Oak, 18 inches diameter.
51.31	A W. Oak, 30 inches diameter.
80.00	2 Mile Post, already set. Land the same.
North Between Sections 11 & 17.	
1.93	A B. Oak, 30 inches diameter.
25.00	A Brook, 20 links, E.
49.00	A W. Oak, 12 inches diameter.
43.84	A W. Oak, 18 inches diameter.
59.39	A W. Oak, 35 inches diameter.

Township 9, Range 6-7 Ranges.

chs. lks.
 65.00 Stillwater, 80 links, N.
 73.64 A W. Oak, 35 inches diameter.
 80.00 5 Mile Post, corner to Sections 11, 12, 17, 18, where
 a Maple, 13 ins. diam. bears S. 7 E. 6 links, and
 an Elm, 14 ins. diam. bears N. 57 E. 20 lks.
 distant. Trees marked by plan.
 First 50 chs. over tolerable good Oak land; then
 over wet Bottom.

North Between Sections 12 & 18.

41.43 A W. Oak, 12 inches diameter.
 49.50 A Brook, 9 links, W.
 62.32 A W. Oak, 14 inches diameter.
 67.36 A W. Oak, 16 inches diameter.
 76.00 A W. Oak, 18 inches diameter.
 83.73 A W. Oak, 22 inches diameter.
 85.00 6 Mile Post, corner to Sections 12 & 18; where a
 Hickory, 14 ins. diam. bears S. 84 W. 33 lks.,
 and a Maple, 8 ins. diam. bears N. 70 E. 29
 links distant. Trees marked by plan.
 35 chs. over wet Bottom; then over good Oak land.
 Rejoined to South Boundary.

West On South Boundary of Section 13.

6.50 A Buck, 50 links, N.
 13.30 An Elm, 13 inches diameter.
 14.00 A Walnut, 12 inches diameter.
 37.36 A Beech, 14 inches diameter.
 40.50 A Brook, 8 links, S.
 44.00 A Beech, 12 inches diameter.
 44.70 A Cherry, 12 inches diameter.
 45.16 A B. Oak, 16 inches diameter.
 52.73 A W. Walnut, 10 inches diameter.
 56.50 A Brook, 4 links, N.

Township 9, Range 6-7 Ranges.

chs. lks.
 66.34 A Poplar, 18 inches diameter.
 80.00 3 Mile Post, corner to Sections 13 & 19; where
 a Beech, 11 ins. diam. bears N. 24 W. 12 1/2 lks.,
 and a Beech, 11 ins. diam. bears S. 11 W. 21 lks.
 distant. Trees marked by plan.
 Over hilly land, soil rich; Timber, Sugar trees,
 Beech, Poplar and Walnut.

West continued, on South Boundary of Section 19.

1.50 A Brook, 40 links, N.
 7.00 A Spring, N.
 22.12 A W. Walnut, 18 inches diameter.
 42.00 A Brook, 4 links, S. 45 E.
 61.35 A Spring, N.
 63.43 A Beech, 10 inches diameter.
 63.49 A Hickory, 13 inches diameter.
 66.17 A Buckeye, 8 inches diameter.
 72.50 A Brook, 3 links, N. 40 E.
 80.00 4 Mile Post, corner to Sections 19 & 25; where
 an Elm, 16 ins. diam. bears S. 67 1/2 W. 16 lks.,
 and a B. Walnut, 17 ins. diam. bears N. 85
 E. 38 links distant. Trees marked by plan.
 Land the same as the last mile.

North Between Sections 19 & 25.

1.89 A Sugar tree, 10 inches diameter.
 14.80 A B. Walnut, 12 inches diameter.
 22.00 A Brook, 15 links, E.
 24.82 A B. Walnut, 14 ins. diam. A good stone quarry.
 A small Farm.
 37.50 A Brook, 4 links, E.
 38.50 A Brook, 15 links, S. 20 E.
 57.89 A B. Oak, 15 inches diameter.
 77.87 A Hickory, 13 inches diameter.

Township 9, Range 6-7 Ranges

- | Chs. Lks. | |
|---------------------------------|--|
| 80.00 | 1 Mile Post, corner to Sections 19, 20, 25, 26; where a B. Oak, 13 ins. diam. bears N. 36 E. 19 links, and a B. Oak, 13 ins. diam. bears S. 7 1/2 E. 18 links distant. Trees marked by plan. Over rich hills, South sides Stony; Timber, Oak, Hickory, Chestnut, Sugar tree, &c. |
| North Between Sections 20 & 26. | |
| 1.06 | A B. Oak, 18 inches diameter. |
| 3.19 | A B. Oak, 16 inches diameter. |
| 14.00 | A Brook, 8 links, S. |
| 14.38 | An Elm, 18 inches diameter. |
| 19.08 | A W. Oak, 15 inches diameter. |
| 21.21 | A Chestnut, 16 inches diameter. |
| 21.57 | A B. Oak, 30 inches diameter. |
| 30.00 | Post Road. |
| 34.35 | A Chestnut, 50 inches diameter. |
| 43.34 | A B. Oak, 35 inches diameter. |
| 45.50 | A Brook, 10 links, E. |
| 80.00 | 2 Mile Post, corner to Sections 20, 21, 26, 27; where a W. Oak, 8 ins. diam. bears S. 36 1/2 W. 27 links, and a Gum, 8 ins. diam. bears N. 10 1/2 E. 37 links distant. Trees marked, &c. Over poor. Stony hills, to the Road, then over rich hills; Timber, Oak, Ash, Poplar, Sugar, &c. |
| East On Random Line. | |
| 80.00 | Random Post. |
| 80.80 | N. Line 6, S. 35 links. |
| West Between Sections 14 & 15. | |
| .82 | A W. Oak, 12 inches diameter. |
| 9.74 | A B. Oak, 18 inches diameter. |
| 14.00 | A W. Oak, 16 inches diameter. |

Township 9, Range 6-7 Ranges

- | Chs. Lks. | |
|---|---|
| 17.17 | A B. Oak, 20 inches diameter. |
| 23.50 | A Brook, 9 links, S. |
| 27.56 | A B. Oak, 22 inches diameter. |
| 55.50 | A Brook, 9 links, S. |
| 71.00 | A Brook, 9 links, S. |
| 80.00 | 3 Mile Post, corner to Sections 14, 15, 20, 21; where a W. Oak, 15 ins. diam. bears N. 65 E. 16 1/2 links, and a W. Oak, 15 ins. diam. bears N. 30 W. 20 1/2 links distant. Trees marked by plan. Over hilly land, soil 2 rates; Timber, Oak, Hickory and Poplar. |
| West Continued, between Sections 20 & 21. | |
| 26.66 | A B. Oak, 17 inches diameter. |
| 31.26 | A B. Oak, 16 inches diameter. |
| 34.00 | A Spring, S. |
| 55.53 | A B. Oak, 21 inches diameter. |
| 77.00 | A Brook, 4 links, S. |
| 80.00 | 4 Mile Post, already set. Land the same. 16th October, 1801. |
| West Continued, between Sections 26 & 27. | |
| .16 | A Poplar, 8 inches diameter. |
| 17.00 | A Brook, 4 links, S. |
| 28.10 | A B. Oak, 19 inches diameter. |
| 34.50 | A Brook, 4 links, S. |
| 45.50 | A Brook, 4 links, S. |
| 55.50 | A Brook, 4 links, S. |
| 67.24 | A W. Oak, 14 inches diameter. |
| 76.12 | A B. Oak, 16 inches diameter. |
| 80.00 | 5 Mile Post, corner to Sections 26, 27, 32, 33; where a Sugar tree, 7 ins. diam. bears N. 68 E. 4 links, and a Beech, 8 ins. diam. bears S. 81 1/2 W. 17 links distant. Trees marked by plan. |

Township 9, Range 6-7 Ranges.

Over hilly land, soil 2^d rate; Timber, Oak, and Hickory; some large rocks about this Post.

West continued, between Sections 32 & 33.

1:00 A Brook, 8 links, N. 20 W.

3:03 A B. Oak, 35 inches diameter.

9:00 Same Brook, S.

12:00 A Brook, 4 links, S.

23:31 A W. Oak, 50 inches diameter.

33:50 A Syc, W.

34:00 A Brook, 12 links, N.

37:00 A Brook, 3 links, N.

56:65 A Beech, 12 inches diameter.

60:30 A W. Oak, 36 inches diameter.

68:00 6 Mile Post, corner to Sections 32 & 33, where a W. Oak, 34 ins. diam. bears S. 28 E. 9 links, and a Sugar tree, 8 ins. diam. bears N. 1 W. 16 links distant. Trees marked by plan.

Over hilly land, soil rich and stony, some large rocks; Timber, Sugar, Ash, Oak, &c.

North Between Sections 21 & 27

1:77 A Sugar tree, 12 inches diameter.

2:50 A Brook, 4 links, E.

13:58 A B. Oak, 34 inches diameter.

22:00 A Brook, 12 links, E.

36:48 A Maple, 13 inches diameter.

45:00 A Brook, 15 links, E.

62:79 A Hickory, 13 inches diameter.

80:00 3 Mile Post, corner to Sections 21, 22, 27, 28; where a W. Oak, 10 ins. diam. bears N. 67 W. 18 links, and a W. Oak, 20 ins. diam. bears N. 60 E. 61 links distant. Trees marked by plan.

Over rich hills; Timber, Oak, Hickory, Sugar, Walnut, &c.

Township 9, Range 6-7 Ranges.

North continued, between Sections 22 & 28.

2:50 Forks of Brook, 12 links, E.

51:00 A Brook, 15 links, E.

52:50 A Brook, 4 links, S. 20 E.

54:71 A B. Oak, 30 inches diameter.

62:50 A Brook, 6 links, S. 20 E.

66:39 A W. Oak, 13 inches diameter.

80:00 4 Mile Post, corner to Sections 22, 23, 28, 29; where a W. Oak, 13 ins. diam. bears N. 88 W. 30 links, and a W. Oak, 12 ins. diam. bears S. 43 1/2 E. 21 links distant. Trees marked by plan.

Land the same.

East Random Line.

80:00 Random Post. 17th October, 1801.

81:90 N. Line, 6. N. 50 links.

West Between Sections 16 & 17.

17:00 A Brook, 8 links, S.

24:00 A Brook, 20 links, N.

27:88 A Hickory, 13 inches diameter.

40:00 A Brook, 6 links, S.

74:30 A W. Oak, 22 inches diameter.

75:00 Broadhead's Trail.

79:00 A Brook, 9 links, S. 60 E.

80:00 3 Mile Post, corner to Sections 16, 17, 22, 23; where a Poplar, 12 ins. diam. bears S. 68 W. 25 links, and a Sugar tree, 14 ins. diam. bears N. 89 E. 42 1/2 links distant. Trees marked by plan.

Over hilly land, East side of hills rich; Timber, Oak, Hickory, Sugar, Poplar, &c.

West continued, between Sections 22 & 23.

26:11 A W. Oak, 12 inches diameter.

Township 9, Range 6-7 Ranges

chs. lks.
 40.00 A Brook, 6 links, S.
 42.50 A W. Oak, 12 inches diameter.
 43.00 A W. Oak, 14 inches diameter.
 54.71 A W. Oak, 12 inches diameter.
 80.00 4 Mile Post, already set.
 Said the same.

West Between Sections 28 & 29.
 7.00 A Brook, 6 links, S.
 32.50 A Brook, 4 links, S. Stone Quarry.
 34.77 A Poplar, 14 inches diameter.
 37.50 A Brook, 8 links, S. 60 E.
 42.08 A Poplar, 12 inches diameter.
 49.08 A Chestnut, 21 inches diameter.
 66.00 A Brook, 3 links, S.
 68.00 A Brook, 3 links, S. 60 E.
 80.00 5 Mile Post, corner to Sections 28, 29, 34, 35;
 where a W. Oak, 9 ins. diam. bears N. 78 E.
 2 1/2 links, and a W. Oak, 12 ins. diam. bears
 N. 58 W. 28 links distant. Trees marked by plan.
 Over uneven land, soil 2^d rate; Timber, Oak and
 Hickory.

West continued, between Sections 34 & 35.
 34.05 A B. Oak, 16 inches diameter.
 35.50 A Chestnut, 40 inches diameter.
 55.56 A B. Oak, 18 inches diameter.
 61.00 A B. Oak, 20 inches diameter.
 66.00 6 Mile Post, corner to Sections 34 & 35; where
 a W. Oak, 12 ins. diam. bears S. 8 E. 18 links,
 and a Chestnut, 38 ins. diam. bears S. 60 W.
 58 links distant. Trees marked by plan.
 Over uneven land, soil rich; Timber, Oak, Hick-
 ory, Chestnut and Poplar.

Township 9, Range 6-7 Ranges

chs. lks.
 North Between Sections 23 & 29.
 8.50 Broadheads Trail.
 23.00 A Brook, 3 links, N. 10 E.
 31.50 A Brook, 10 links, E. A Sick, S.
 35.59 A W. Oak, 12 ins. diam.; a Spring, S.; a Stone Quarry.
 71.16 A W. Oak, 28 inches diameter.
 80.00 5 Mile Post, corner to Sections 23, 24, 29, 30;
 where a W. Oak, 15 ins. diam. bears N. 59 W.
 4 links, and a W. Oak, 16 ins. diam. bears S.
 37 E. 4 1/2 links distant. Trees marked by plan.
 Over hilly land, soil rich and stony, some large
 rocks; Timber, ^{Oak} Hickory, Chestnut and Poplar.

North continued, between Sections 24 & 30.
 2.58 A Hickory, 12 inches diameter.
 17.50 A Chestnut, 32 inches diameter.
 36.00 A Brook, 12 links, N. 20 E.
 51.13 A W. Oak, 17 inches diameter.
 53.25 A W. Oak, 16 inches diameter.
 73.00 A B. Oak, 17 inches diameter.
 75.00 A Brook, 3 links, S. 20 E.
 84.00 6 Mile Post, corner to Sections 24 & 30; where
 a W. Oak, 10 ins. diam. bears N. 22 W. 18 1/2
 links, and a Hickory, 25 ins. diam. bears
 S. 27 E. 17 links distant. Trees marked by plan.
 First half mile same as the last; then over
 poor and hilly W. Oak land. 19th Oct. 1801.

West On South Boundary of Section 25.
 13.04 A B. Oak, 18 inches diameter.
 27.20 A Brook, 3 links, N.
 32.00 A Brook, 10 links, N. 30 E.
 41.50 A Brook, 10 links, N.
 59.32 A Buckeye, 20 inches diameter.

Township 9, Range 6-7 Ranges

- 60.80 A Buckeye, 49 inches diameter.
- 62.11 A Buckeye, 28 inches diameter.
- 63.50 A Spring, S.
- 80.00 5 Mile Post, corner to Sections 25 & 31; where a Beech, 12 ins. diam. bears N. 47 1/2 W. 29 links, and a W. Walnut, 10 ins. diam. bears S. 50 E. 14 links distant. Trees marked by plow.
Over hilly land, soil very rich; Timber, Sugar, Beech, Walnut and Poplar.
- West continued, on South Boundary of Section 31.
- 4.42 A Sugar tree, 8 inches diameter.
- 8.50 A Brook, 3 links, S.
- 13.50 A Brook, 3 links, S.
- 24.00 A Brook, 3 links, S.
- 28.19 A Sugar tree, 15 inches diameter.
- 44.00 A Spring, N.
- 66.50 6 Mile Post, S. W. corner of Section 31; where a Poplar, 40 ins. diam. bears N. 76 E. 16 1/2 links, and a Sugar, 8 ins. diam. bears S. 74 W. 50 links distant.
Over uneven land, soil rich; Timber, Sugar tree, Poplar and Walnut.
- North On West Boundary of Section 31.
- 3.00 A Brook, 3 links, W.
- 8.18 A Maple, 8 inches diameter.
- 14.00 A Brook, 9 links, W.
- 18.22 A Hickory, 13 inches diameter.
- 32.50 A B. Walnut, 22 inches diameter.
- 36.14 A Sugar tree, 18 inches diameter.
- 41.23 A Hickory, 12 inches diameter.
- 41.31 A W. Oak, 15 inches diameter.
- 49.50 A Brook, 9 links, W.

Township 9, Range 6-7 Ranges

- 60.80 A Beech, 8 inches diameter.
- 76.50 A Brook, 5 links, W.
- 79.03 A Sugar tree, 12 inches diameter.
- 80.00 1 Mile Post, corner to Sections 31 & 32; where a W. Oak, 36 ins. diam. bears N. 3 E. 36 links, and a Hickory, 13 ins. diam. bears S. 41 E. 15 links distant. Trees marked by plow.
Over hilly land, soil rich and stony, some large rocks; Timber, Oak, Hickory, Poplar, Sugar, Walnut, Beech, &c.
- North continued, West Boundary of Section 32.
- 10.00 Small Farm.
- 12.00 Post Road.
- 27.00 A Brook, 10 links, W.
- 32.50 A Brook, 6 links, W.
- 41.34 A Sugar tree, 18 inches diameter.
- 45.16 A Hickory, 8 inches diameter.
- 64.77 A Poplar, 10 inches diameter.
- 72.70 A Hickory, 25 inches diameter.
- 79.50 2 Mile Post. corner roads.
Land the same.
- North continued, West Boundary of Section 33.
- 1.11 A B. Oak, 39 inches diameter.
- 8.50 A W. Oak, 34 inches diameter.
- 13.38 A Beech, 8 inches diameter.
- 16.50 A Brook, 5 links E.
- 29.70 A W. Oak, 16 inches diameter.
- 35.50 A Brook, 20 links, W.
- 42.50 A Brook, 6 links, W.
- 51.69 A Sugar tree, 13 inches diameter.
- 74.97 A W. Oak, 23 inches diameter.
- 80.00 3 Mile Post, corner to Sections 33 & 34; where

Township 9, Range 6-7 Ranges.

Chs. Lk.

a B. Oak, 17 ins. diam. bears East 33 links, and
a Gum, 11 ins. diam. bears N. 44 W. 17 links
distant. Trees marked by plan.
Over hilly land, soil thin and stony; Timber,
Oak, Hickory, Beech, &c.

North continued, on West Boundary of Section 34.

- 1.88 A B. Oak, 19 inches diameter.
6.50 A Brook, 15 links, W.
8.18 A Sugar tree, 10 inches diameter.
20.54 A W. Oak, 13 inches diameter.
29.74 A W. Oak, 12 inches diameter.
52.94 A Hickory, 13 inches diameter.
79.75 4 Mile Post. Corner made.
Land the same.

North continued, West Boundary of Section 35.

- 7.32 A Poplar, 20 inches diameter.
8.50 A Brook, 5 links, E.
9.55 A W. Oak, 22 inches diameter.
11.00 A Hickory, 14 inches diameter.
19.00 A Spring, E.
21.65 A W. Oak, 12 inches diameter.
22.23 A W. Oak, 10 inches diameter.
23.34 A Hickory, 6 inches diameter.
26.00 A Brook, 5 links, N. 20 E.
29.59 A W. Oak, 14 inches diameter.
36.50 A Brook, 15 links, W.
39.55 A Maple, 9 inches diameter.
41.50 Broadhead's Trail.
46.97 A W. Oak, 15 inches diameter.
55.42 A W. Oak, 13 inches diameter.
57.75 A W. Oak, 35 inches diameter.
64.50 A Brook, 8 links, W.

Township 9, Range 6-7 Ranges.

Chs. Lk.

- 80.00 5 Mile Post, corner to Section 35 & 36; where
a W. Oak, 12 ins. diam. bears North 21 links,
and a W. Oak, 13 ins. diam. bears S. 80 1/2 E. 27 1/2
links distant. Trees marked by plan.
Over hilly land, soil thin and stony; Timber,
Oak, Hickory, Beech, &c.

North continued, West Boundary of Section 36.

- 18.89 A Hickory, 12 inches diameter.
32.85 A W. Oak, 8 inches diameter.
44.50 A Brook, 7 links, W.
60.50 A Brook, 5 links, S. 20 W.
68.00 Town corner on the West.
83.50 6 Mile Post, N. W. Corner of Section 36; where
a Hickory, 7 ins. diam. bears N. 21 1/2 W. 7
links, and a W. Oak, 12 ins. diam. bears
S. 5 1/2 E. 40 1/2 links distant. Trees marked, &c.
Land the same. 20th Oct, 1801.

West On North Boundary of Section 6.

- 6.00 A Brook, 6 links, S. 50 E.
25.07 A W. Oak, 16 inches diameter.
28.50 A Brook, 9 links, S.
34.00 A Brook, 4 links, S. 70 E.
55.59 A W. Oak, 13 inches diameter.
57.50 A Brook, 9 links, S.
60.50 A Brook, 7 links, S.
66.00 A Brook, 5 links, S.
77.00 A Brook, 25 links, N. 80 W.
80.00 1 Mile Post, corner to Sections 6 & 12; where a
Sugar tree, 13 ins. diam. bears N. 64 W. 24 links,
and a Sugar tree, 13 ins. diam. bears S. 16 E. 48 links,
distant. Trees marked by plan.
Over uneven land, soil thin; Timber, W. Oak; bottom small, but
of a good quality.

Township 9, Range 6-7 Ranges.

Chs. Lk.	
West	Continued, on North Boundary of Section 12.
5.42	A W. Oak, 14 inches diameter.
24.50	A Brook, 10 links, N.
36.00	A Brook, 3 links, N.
38.22	A W. Oak, 15 inches diameter.
48.00	A Spring, N.
58.38	An Elm, 15 inches diameter.
70.00	A Brook, 7 links, N.
80.00	2 Mile Post. corner made. Over uneven land, soil thin; Timber, W. Oak.
West	Continued, North Boundary of Section 18.
26.50	A Brook, 6 links, S.
29.88	A W. Oak, 28 inches diameter.
32.50	A Suck, S.
50.00	A Brook, 4 links, S.
67.00	A Creek, 70 links, N. 70 W.
80.00	3 Mile Post, corner to Sections 18 & 24; where a Beech, 6 ins. diam. bears N. 76 W. 10 links, and a Maple, 9 ins. diam. bears S. 76 E. 9 W. distant. Trees marked by plan. Over good Oak land to the creek, then over rich bot- tom; Timber, Sugar, Beech, Ash, Elm, &c.
West	Continued, on North Boundary of Section 24.
5.50	A Brook, 10 links, N.
31.72	A W. Oak, 11 inches diameter.
40.50	A Brook, 5 links, N.
64.00	A Brook, 12 links, N.
79.00	A W. Oak, 13 inches diameter.
82.90	4 Mile Post. corner made. Over hilly land, soil thin; Timber, W. Oak.

Township 9, Range 6-7 Ranges.

Chs. Lk.	
West	Continued, on North Boundary of Section 30.
17.58	A W. Oak, 28 inches diameter.
32.60	Forks of a Brook, 4 links, N.
47.10	A Brook, 12 links, N. 60 E.
50.02	A W. Oak, 21 inches diameter.
62.60	A Brook, 9 links, S. 60 E.
80.00	5 Mile Post, corner to Sections 30 & 36; where a W. Oak, 8 ins. diam. bears S. 48 E. 25 links, and a W. Oak, 13 ins. diam. bears S. 48 1/2 W. 31 links distant. Trees marked by plan. Over hilly land, soil poor; Timber, Oak.
West	Continued, North Boundary of Section 36.
14.10	A Brook, 5 links, N.
15.10	A Brook, 7 links, N. 60 E.
17.58	A W. Oak, 16 inches diameter.
20.10	A Spring, S.
62.35	A Spring, S.
68.60	6 Mile Post. corner made. Over hilly land, soil tolerable; Timber, Oak.

Surveyed in 1801, by
Lacchar Biggs,
Deputy Surveyor.

Township 9, Range 6-7 Ranges.

Chs. Lks. Subdivision of "2 Mile Blocks."
 From Post, corner of Sections 2, 3, 8, 9, ran-
 South Random Line, between Sections 2 & 8.
 40.00 Set temporary Dr. Sec. Post. Rich land; timber, Oak.
 42.00 A Spring, West of the line.
 71.80 A Spring Run.
 80.00 Set temporary better Post.
 + South Continued Random Line between Sections 1 & 7.
 40.00 Set temporary Quarter Section Post.
 42.00 A Brook, course S. E.
 65.10 A Brook, 3 links wide, course E.
 80.35 Intersected Township Line, 4 links West of Post,
 corner to Sections 1 & 7, T. 9, R. 6.
 Good land.
 + North On true line, between Sections 1 & 7, and moved
 temporary Dr. Sec. Post to average distance
 on true line.
 Moved temporary better Post to true line.
 North Continued true line, between Sections 2 & 8, and
 moved temporary Dr. Sec. Post to average
 distance, on true line.
 From Post, corner of Sections 7, 8, 13, 14, ran-
 East Random Line between Sections 7 & 8.
 34.50 A Run, course N. W.
 40.00 Set temporary Quarter Section Post.
 80.25 Crossed the North and South Line.
 Oak Timber.
 East Continued Random Line between Sections 1 & 2.
 13.50 A Run, course South.
 37.00 A Brook, 6 links wide, course S. E.

Township 9, Range 6-7 Ranges.

Chs. Lks. A Brook, 8 links wide, course N. E.
 57.50
 80.50 Fell 4 links North of Post on Range Line.
 Oak timber.
 West On true line between Sections 1 & 2, and moved
 temporary Dr. Sec. Post, and set it at ave-
 rage measure, on true line; from which
 a W. Oak, 27 ins. diam. bears N. 4 E. 22 links,
 and a W. Oak, 11 ins. diam. bears S. 30 W. 35
 links distant.
 Continued West to the better, and fell 11 links North
 of temporary better Post. Moved it to intersec-
 tion, corner to Sections 1, 2, 7, 8; where a Su-
 gar, 15 ins. diam. bears S. 89 E. 41 links, and
 a B. Oak, 30 ins. diam. bears N. 60 W. 46
 links distant.
 + South Between Sections 1 & 7, and moved temporary Dr.
 Sec. Post 5 1/2 links North; where a W. Oak, 27
 ins. diam. bears South 153 links, and a Beech,
 11 ins. diam. bears N. 39 E. 32 links distant.
 North Between Sections 2 & 8, and moved temporary Dr.
 Sec. Post 5 1/2 links North; from which a But-
 ternut, 5 ins. diam. bears N. 5 E. 4 links, and
 a Butternut, 4 ins. diam. bears N. 86 W. 30
 links distant.
 West Continued true line, between Sections 7 & 8, and
 moved temporary Dr. Sec. Post, and set it
 at average measure, on true line; from which
 a W. Oak, 15 ins. diam. bears S. 13 W. 45 links,
 and a W. Oak, 20 ins. diam. bears N. 4 E. 43
 links distant.

Chs. Lks.	
	From Post, corner of Sections 9, 10, 15, 16, ran-
East	Random Line between Sections 9 & 10.
40.00	Set temporary Quarter Section Post.
49.00	A Brook, 9 links wide, course South. Rich bottom.
72.50	A Brook, 40 links wide, course East-Bottom.
80.00	Set temporary Center Post.
East	Continued Random Line, between Sections 9 & 4.
37.50	A Brook, 10 links wide, course North.
40.00	Set temporary Quarter Section Post.
72.50	A Brook, 15 links wide, course N. W.
80.20	Fell 50 links East [should be North or South] of Post on Range Line, corner of Secs. 3 & 4.
West	On True Line, between Sections 3 & 4, and set temporary Dr. Sec. Post at average measure. Moved temporary Center Post to true line.
West	Continued true line between Sections 9 & 10, and moved temporary Dr. Sec. Post to true line.
	From Post, corner of Sections 4, 5, 10, 11, ran-
South	Random Line between Sections 4 & 10, T. 9, R. 6.
33.00	A Brook, 2 links wide, course W.
40.00	Set temporary Quarter Section Post.
57.50	A Brook, 40 links wide, course N. E.
76.30	A Brook, 40 links wide, course North.
80.09	Crossed the East and West Line.
South	Continued Random Line, between Sections 3 & 9.
40.00	Set temporary Quarter Section Post.
79.80	Fell 53 links East of Post, corner of Sections 2, 3, 8, 9, T. 9, R. 6. Oak timber.

Chs. Lks.	
North	On true line, between Sections 3 & 9, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a Sugar, 13 ins. diam. bears N. 88 E. 18 links, and a Gum, 9 ins. diam. bears N. 28 W. 19 links distant.
	Continued true line, and moved temporary Center Post, and set it at intersection, for corner to Sections 3, 4, 9, 10; from which an Elm, 20 ins. diam. bears N. 32 W. 15 links, and a Sugar, 14 ins. diam. bears S. 45 E. 26 links distant.
	Traveled West between Sections 9 & 10, & moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a B. Oak, 22 ins. diam. bears S. 54 W. 8 links, and a Walnut, 10 ins. diam. bears S. 76 E. 18 links distant.
	Traveled East between Sections 3 & 4, & moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which an Elm, 7 ins. diam. bears S. 75 E. 9 links, and a Hickory, 9 ins. diam. bears N. 81 W. 20 links distant.
North	On true line between Sections 4 & 10, & moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a Beech, 6 ins. diam. bears S. 62 E. 30 links, and a Dogwood, 6 ins. diam. bears S. 71 W. 12 links distant.

Township 9, Range 6-7 Ranges.

Chs. Lks.	
	From Post, corner of Sections 11, 12, 17, 18, ran-
East	Ran down line, between Sections 11 & 12.
29.00	Bushy Swamp.
40.00	Set temporary Quarter Section Post.
64.00	A Brook, 8 links wide, course South.
80.00	Set temporary Center Post.
	Land hilly; Timber, W. & B. Oak, &c.
East	Continued Ran down Line between Sections 5 & 6.
10.00	A Brook, 4 links wide, course South.
15.00	A Brook, 10 links wide, course S. W.
40.00	Set temporary Quarter Section Post.
50.00	A Brook, 4 links wide, course S.
70.00	A Brook, 10 links wide, course S.
79.35	Fell 2 links South of Post on Range Line, corner of Sections 5 & 6, T. 9, R. 6. Hilly land; Timber, W. Oak, &c.
West	On True Line between Sections 5 & 6, & moved temporary Tr. Sec. Post to average measure on true line. Moved temporary Center Post to average mea- sure, on true line.
West	Continued on true line between Sections 11 & 12, and moved temporary Tr. Sec. Post to ave- rage measure, on true line.
	From Post, corner of Sections 4, 5, 10, 11, ran-
North	Ran down Line between Sections 5 & 11.
13.00	A Swamp, wet and miry. W. Oak, &c. Hilly.
38.00	A Brook, 8 links wide, course East.
40.00	Set temporary Section Post. Rich bottom land. Chew, Sugar, &c.
42.00	A Creek, 100 links wide, course West.

Township 9, Range 6-7 Ranges. 755

Chs. Lks.	
48.00	A Swamp, 900 links wide.
77.38	Cross the East and West line.
North	Continued Ran down Line between Secs. 6 & 12.
40.00	Set temporary Quarter Section Post. Land hilly;
53.00	A Spring, course East. ^{Timber, W. & B. Oak, &c.}
84.50	Fell 90 links East of Post, corner to Sections 6 & 12, on North Boundary.
South	On True Line, between Sections 6 & 12, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 20 ins. diam. bears N. 45 E. 20 links, and a W. Oak, 21 ins. diam. bears S. 85 E. 40 links distant. Continued true line, and fell 45 links West of temporary Center Post. Set it at intersection, corner to Sections 5, 6, 11, 12; from which a Sugar, 24 ins. diam. bears S. 80 W. 15 links, and a Red Oak, 6 ins. diam. bears N. 10 E. 15 links distant.
	Then went between Sections 11 & 12, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a Dogwood, 5 ins. diam. bears N. 7 E. 12 links, and a W. Oak, 10 ins. diam. bears S. 45 E. 6 links distant.
	Then East between Sections 5 & 6, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 12 ins. diam. bears N. 75 E. 18 links, & a Hickory, 6 ins. diam. bears S. 15 E. 10 links distant.

Township 9, Range 6-7 Ranges.

- Chs. Lcs.
South True line between Sections 5 & 11, and moved temporary Dr. Sec. Post, and set it at average distance, on true line; from which a W. Ash, 15 ins. diam. bears S. 55 E. 25 links, and an Elm, 20 ins. diam. bears N. 40 W. 12 links distant.
- West From Post, corner of Secs. 7, 8, 13, 14, ran-
On Random Line, between Sections 13 & 14
4:50 A Brook, 20 links wide, runs North; through rich bottom.
14:00 A Brook, 3 links wide, course S. E., at the foot of a gradually rising hill; Timber, Oak.
40:00 Set temporary Quarter Section Post. Timber, Oak and Poplar.
50:75 A Brook, 2 links wide, course S. E. Beech and Oak timber.
80:00 Set temporary Center Post.
W. Oak timber; a good spring on the west side of the hill.
- West Continued Random Line between Secs. 19 & 20.
5:50 A Brook, course S. E. Rich hills on East side.
40:00 Set temporary Quarter Section Post, in good land, Oak timber.
54:00 A Brook, 2 links wide, course South. Second rate hill land.
81:21 Fell 105 links North of Post, corner to Sections 19, 20, 25, 26, T. 9, R. 6. Stone ridge.
- East On true line between Sections 19 & 20, and set the Dr. Sec. Post at the average measure, on true line.
Moved temporary Center Post to true line.

Township 9, Range 6-7 Ranges.

- Chs. Lcs.
East Continued true line, between Sections 13 & 14, and moved Dr. Sec. Post on true line, and continued East to the corner of Secs. 7, 8, 13, 14.
From Post on South Boundary, corner to Secs. 13 & 19,
North Random Line between Sections 13 & 19.
40:00 Set temporary Quarter Section Post.
43:50 A Brook, 3 links wide. Good Oak hill land.
48:50 A Brook, 2 links wide, course S. W.
80:50 Crossed the East and West line.
- North continued Random Line between Sections 14 & 20.
27:50 Crossed Lanes Road, course E. W. Oak ridge.
40:00 Set temporary Quarter Section Post. On the side of a rich hill.
45:00 A Brook, 5 links wide, course E.
80:00 Hit the Post, corner of Sections 14, 15, 20, 21.
Second rate land; Timber, Oak.
- South On true line, between Sections 14 & 20, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a Beech, 13 ins. diam. bears S. 50-9 links, and a Poplar, 5 ins. diam. bears S. 25 E. 25 links distant.
Continued true line, and fell 164 links West of temporary Center Post. Set it at intersection, corner to Sections 13, 14, 19, 20; from which a Beech, 7 ins. diam. bears S. 80 E. 11 links, and a W. Oak, 12 ins. diam. bears N. 40 W. 25 links distant.
- South On true line between Sections 13 & 19, & moved temporary Dr. Sec. Post, and set it at average

Township 9, Range 6-7 Ranges.

Chs. Lks.

distance, on true line; from which a Hickory, 7 ins. diam. bears S. 50 W. 8 links, and an Elm, 10 ins. diam. bears S. 40 E. 27 lks. distant. Continued South to corner of Sections 13 & 19, on the South Boundary.

East Went between Sections 13 & 14, and moved temporary Tr. Sec. Post, and set it at average distance, on true line; from which a Dogwood, 5 ins. diam. bears N. 19 W. 17 links, and a W. Oak, 20 ins. diam. bears South 4 links distant.

West Went between Sections 19 & 20, and moved temporary Tr. Sec. Post, and set it at average distance, on true line; from which a Poplar, 5 ins. diam. bears N. 9 E. 13 links, and a W. Oak, 18 ins. diam. bears N. 6 W. 33 links distant.

From Post, corner of Secs. 21, 22, 27, 28, ran East Random Line between Sections 21 & 22.
 24.00 A Brook, 8 links wide, course S. E.
 40.00 Set temporary Quarter Section Post.
 80.00 Set temporary Center Post. Good land.

East Random line continued, between Sections 15 & 16.
 10.00 A Brook, 10 links wide, course S. E. Broken.
 12.25 Cross the Brook again.
 40.00 Set temporary Quarter Section Post.
 62.25 A Brook, 2 links wide, course S.
 83.40 Fell 40 links North of Post, corner of Sections 9, 10, 15, 16, T. 9, R. 6.

Township 9, Range 6-7 Ranges.

Chs. Lks.

West Corrected the line between Sections 15 & 16, & moved temporary Tr. Sec. Post at average measure.

Moved temporary Center Post to true line.
 West Continued true line between Sections 21 & 22, and moved temporary Tr. Sec. Post to average measure.

From Post, corner of Sections 16, 17, 22, 23 - South Random Line between Sections 16 & 22.
 40.00 Set temporary Quarter Section Post.
 59.10 A Brook, 8 links wide, course S. E.
 80.00 Crossed East and West line.

South Continued, between Sections 15 & 21 - Random Line.
 16.00 A Brook, 9 links wide, course N. E. Bottom.
 30.30 A Brook, 3 links wide, course W.
 40.00 Set temporary Quarter Section Post.
 66.00 A Brook, 6 links wide, course S. E.
 79.50 Fell 48 links East of Post, corner of Sections 14, 15, 20, 21, T. 9, R. 6.

North On true line, [between Sections 15 & 21] & moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 18 ins. diam. bears S. 61 W. 12 1/2 lks., and a Sugar, 12 ins. diam. bears N. 32 E. 25 links distant.
 Continued North, and fell 196 links East of Post for temporary Center. Set it at intersection, corner to Sections 15, 16, 21, 22; from which a W. Oak, 12 ins. diam. bears N. 39 W. 12 lks., and a Sugar, 5 ins. diam. bears S. 55 E. 20 links distant.

Township 9, Range 6-7 Ranges.

Chs. Lhs.
 East Went between Sections 15 & 16, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 26 ins. diam. bears S. 8 W. 33 links, and a W. Oak, 18 ins. diam. bears N. 4 W. 22 lbs. distant.

West Went between Sections 21 & 22, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a Poplar, 18 ins. diam. bears S. 5 E. 8 links, and an Elm, 10 ins. diam. bears N. 9 E. 38 lbs. distant.

North True Line between Sections 16 & 22, and moved temporary Tr. Sec. Post, and set it at average distance, on true line; from which a W. Oak, 13 ins. diam. bears N. 31 E. 10 links, and a Gum, 5 ins. diam. bears S. 37 W. 29 lbs. distant.

From Post, corner of Sections 23, 24, 29, 30 -
 East Random Line between Sections 23 & 24.
 30.50 A Spring, course S. E.
 40.00 Set temporary Quarter Section Post. Hilly W. Oak land.
 64.00 A Brook, 10 links wide, course N. E.
 75.00 A Brook, 5 links wide, course N.
 80.00 Set temporary Center Post.

East Continued Random Line between Sections 17 & 18.
 40.00 Set temporary Quarter Section Post.
 58.50 A Brook, 8 links wide, course S. E.
 64.00 A creek, 100 links wide, course N. E.
 83.06 Fell 100 links North of Post, corner of Sections 11, 12, 17, 18, T. 9, R. 6.

Township 9, Range 6-7 Ranges.

Chs. Lhs.
 West On True Line, between Sections 17 & 18, & moved temporary Tr. Sec. Post to the average measure, on true line.
 Moved temporary Center Post to average measure, on true line.

West Continued true line between Sections 23 & 24, and moved temporary Tr. Sec. Post to average measure, on true line.

From Post, corner of Sections 16, 17, 22, 23, ran -
 North Random Line between Sections 17 & 23.
 34.00 A Brook, 5 links wide, course E.
 40.00 Set temporary Quarter Section Post. W. Oak, &c.
 61.00 A Spring.
 80.00 Crossed North and South Line.

North Continued Random Line between Secs. 18 & 24.
 21.00 A Brook, 12 links wide, course E.
 40.00 Set temporary Quarter Section Post.
 83.50 Fell 100 links West of Post, corner of Sections 18 & 24, on North Boundary of T. 9, R. 6.

South On true line, between Sections 18 & 24, & moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 20 ins. diam. bears S. 32 E. 16 links, and a W. Oak, 15 ins. diam. bears N. 17 W. 20 links distant.

Continued true line, and fell 300 links East of Post, temporary Center, and moved it to intersection, corner to Sections 17, 18, 23, 24; from which a W. Oak, 10 ins. diam. bears S. 65 W. 10 links, and a W. Oak, 10 ins. diam. bears N. 51 W. 15 links distant.

Township 9, Range 6-7 Ranges.

Chs. Lks.	
West	Went between Sections 23 & 24, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 12 ins. diam. bears N. 12 E. 100 links, and a W. Oak, 8 ins. diam. bears S. 34 W. 14 links distant.
East	Then went between Sections 17 & 18, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 15 ins. diam. bears S. 54 W. 15 links, and a Hickory, 8 ins. diam. bears N. 19 E. 15 links distant.
South	True Line between Sections 17 & 23, & moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a Hickory, 5 ins. diam. bears N. 54 E. 12 links, and a Poplar, 5 ins. diam. bears S. 46 W. 5 links distant.
	From Post, corner of Sections 19, 20, 25, 26 -
West	Random Line, between Sections 25 & 26.
40.00	Set temporary Quarter Section Post.
60.00	A Brook, 5 links wide, course E.
80.00	Set temporary Center Post. Rich hill land; Timber, Beech and Sugar.
West	Continued Random Line between Secs. 31 & 32.
40.00	Set temporary Quarter Section Post.
69.35	Fell 22 links South of Post, corner of Sections 31 & 32, on Range Line. W. Oak and Hickory, with Spice.

Township 9, Range 6-7 Ranges.

Chs. Lks.	
East	On True Line, between Sections 31 & 32, and set temporary Dr. Sec. Post at average distance, on true line. Moved temporary Center Post to true line.
East	Continued true line between Sections 25 & 26, and moved temporary Dr. Sec. Post to the true line.
	From Post on S. Boundary, corner of Secs. 25 & 31.
North	On Random Line between Sections 25 & 31.
32.00	Over rich land, to a Spring, course East.
40.00	Set temporary Quarter Section Post. W. Oak and Sugar, with Spice.
50.00	A Brook, 5 links wide, course East.
80.25	Crossed East and West Line. Rich land; Timber, W. Oak, Beech; Spice.
North	Continued Random Line, between Sections 26 & 32.
4.00	A Brook, 8 links wide, course East.
30.00	Over rich hills to the Post Road.
40.00	Set temporary Quarter Section Post, on the North side of a hill.
42.50	A Brook, 8 links wide, course N. W.
47.50	A Brook, 5 links wide, course N. W.
51.50	A Brook, 5 links wide, course S. W.
80.00	Fell 2 links West of Post, corner of Sections 26, 27, 32, 33. Land hilly; Timber, Oak and Sugar.
South	On true line between Sections 26 & 32, & moved temporary Dr. Sec. Post, and set it at average distance on true line; from which a Beech, 8 ins. diam. bears N. 50 E. 15 links, and a Sugar, 18 ins. diam. bears S. 15 W. 35 links distant.

Township 9, Range 6-7 Ranges.

Chs. Lks.
Continued true line, and fell 1 link East of temporary center Post. Moved it to intersection, corner to Sections 25, 26, 31, 32; from which a Beech, 15 ins. diam. bears N. 42 E. 40 W. and a Beech, 10 ins. diam. bears S. 70 W. 11 links distant.

South Continued true line between Sections 25 & 31, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which a Sugar, 13 ins. diam. bears S. 73 E. 4 links, and a Hickory, 13 ins. diam. bears N. 10 E. 30 links distant. Continued South, to the corner of Sections 25 & 31, on South Boundary.

East Went between Sections 25 & 26, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; from which an Ash, 10 ins. diam. bears N. 10 E. 8 links, and a Hickory, 9 ins. diam. bears S. 49 W. 20 W. distant.

West Went between Sections 31 & 32, and moved the temporary Dr. Sec. Post, and set it at average measure, on true line. [No bearing trees given in original notes.]

From Post on W. Boundary, corner of Secs. 33 & 34.
East Random Line between Sections 33 & 34.
25.50 A Brook, 6 links wide, course North.
40.00 Set temporary Quarter Section Post.
80.00 Set temporary center Post.
Very good land; Timber, Oak.

Township 9, Range 6-7 Ranges.

Chs. Lks.
East Continued Random Line between Secs. 27 & 28.
40.00 Set temporary Quarter Section Post. Rich land, good for farming; Timber, Oak, Chestnut and Hickory.
68.25 Fell 84 links North of Post, corner of Sections 21, 22, 27, 28, T. 9, R. 6. Land good.

West On True Line between Sections 27 & 28, and set temporary Dr. Sec. Post at average distance on true line.

Set temporary center Post on true line.
West Continued true line, and moved temporary Dr. Sec. Post to true line.

From Post, corner of Sections 28, 29, 34, 35.
South Random Line between Sections 28 & 34.
24.50 A Spring.

40.00 Set temporary Quarter Section Post.
46.00 A Brook, 3 links wide, course E.
79.69 Crossed the East and West line. Oak.

South Continued Random Line between Secs. 27 & 33.
26.65 A Brook, 3 links wide, course N. W.
40.00 Set temporary Quarter Section Post. Rich hills.
72.50 A Brook, 3 links wide, course W.
79.85 Fell 48 links East of Post, corner of Sections 26, 27, 32, 33, T. 9, R. 6.

North On true line between Sections 27 & 33, & moved temporary Dr. Sec. Post, and set it at average distance, on true line; from which a Gum, 7 ins. diam. bears N. 80 W. 14 links, and a B. Oak, 30 ins. diam. bears N. 70 E. 26 links distant.

Township 9, Range 6-7 Ranges.

Chs. Lks. Continued true line, and fell 11 links West of temporary Center Post. Set it at intersection, corner to Sections 27, 28, 33, 34; from which a Beech, 10 ins. diam. bears N. 36.9 links, and a Hickory, 6 ins. diam. bears S. 41 E. 24 links distant.

East Went between Sections 27 & 28, and moved temporary Dr. Sec. Post 5/8 Mts. West, and set it at average measure, on true line; from which a B. Oak, 30 ins. diam. bears S. 89 E. 13 links, and a Dogwood, 6 ins. diam. bears S. 76 W. 18 links distant.

West Went between Sections 33 & 34, and moved temporary Dr. Sec. Post 5/8 Mts. West, and set it at average measure, on true line; from which a Sugar, 12 ins. diam. bears S. 72 W. 28 links, and a W. Oak, 14 ins. diam. bears N. 71 E. 32 links distant.

North Continued true line, between Sections 28 & 34, and moved temporary Dr. Sec. Post, and set it at average distance, on true line; from which a B. Oak, 30 ins. diam. bears N. 70 W. 16 links, and a W. Oak, 11 ins. diam. bears N. 46 E. 12 links distant.

From Post, corner of Sections 28, 29, 34, 35 - North Random Line, between Sections 29 & 35. 21.00 A Spring Run, course W. 24.00 Broodhead's Trail. 40.00 Set temporary Quarter Section Post. 80.00 Set temporary Center Post.

Township 9, Range 6-7 Ranges.

Chs. Lks. Rick upland; Timber, W. & B. Oak, Dogwood, &c.

North continued Random Line, between Secs. 30 & 36. 15.00 A Brook, 8 lks. wide, bears East. 40.00 Set temporary Quarter Section Post. 56.00 A Brook, 8 links wide, course East. 83.00 Fell 100 links West of Post on North Boundary, corner of Sections 30 & 36, T. 9, R. 6.

South On true line between Sections 30 & 36, and moved the temporary Dr. Sec. Post, and set it at average distance on true line. Moved temporary Center Post to average measure on true line.

South Continued true line, between Sections 29 & 35, and moved temporary Dr. Sec. Post to average distance, on true line.

From Post, corner of Sections 23, 24, 29, 30 - West Random Line, between Sections 29 & 30. 40.00 Set temporary Quarter Section Post. 47.50 A Spring, course N. 80.00 Crossed North and South Line. Rick hill land; Timber, Oak, &c.

West continued Random Line, between Secs. 35 & 36. 40.00 Set temporary Quarter Section Post. 60.00 A Brook, 8 links wide, course South. 69.25 Fell 64 links South of Post on Range Line, corner of Sections 35 & 36, T. 9, R. 6. Rick hill land; Timber, Sugar, &c.

East True Line between Sections 35 & 36, and moved temporary Dr. Sec. Post, and set it at ave-

Township 9, Range 6-7 Ranges

6 Ms. Lts.

rage measure, on true line; from which a W. Oak, 18 ins. diam. bears N. 9 W. 6 links, and a Beech, 10 ins. diam. bears S. 9 E. 25 links distant.

Continued true line, and fell 70 Ms. South of temporary center Post. Set it at intersection [corner of Sections 29, 30, 35, 36] from which a W. Oak, 30 ins. diam. bears S. 50 W. 8 links, and a Sugar, 15 ins. diam. bears S. 89 E. 10 links distant.

South Then went between Sections 29 & 35, & moved temporary Tr. Sec. Post, and set it at average distance, on true line; from which a B. Oak, 6 ins. diam. bears N. 59 E. 18 links, and a W. Oak, 12 ins. diam. bears S. 21 E. 22 Ms. distant.

North Then went between Sections 30 & 36, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a Chestnut, 30 ins. diam. bears S. 64 E. 23 Ms., and a B. Oak, 6 ins. diam. bears N. 28 E. 14 links distant.

East Continued true line, between Sections 29 & 30, and moved temporary Tr. Sec. Post, and set it at average measure, on true line; from which a W. Oak, 15 ins. diam. bears S. 88 E. 6 links, and a W. Oak, 10 ins. diam. bears N. 11 W. 18 links distant.

Surveyed in 1806, by Philip Greene, Deputy Surveyor.

Township 10, Range 6-7 Ranges

x x x x x x x x x x
South Boundary.

From Post
West 1st Mile - [South side of Section 1.]
2.65 A. W. Oak, 24 inches diameter.
56.79 A. W. Oak, 12 inches diameter.
80.00 Set Post, [corner to Sections 1 & 7,] from which a Sugar, 4 ins. diam. bears S. 80 W. 13 links, and a Lym, 10 ins. diam. bears S. 82 E. 40 Ms. distant.

About 1/5 of this mile is rich bottom land, suitable for meadow and pasturage; the remainder is generally good upland, proper for the cultivation of wheat, rye and corn, hemp, tobacco, &c., covered with Oak, Hickory, Beech and Dogwood. The Bottom land is timbered with Elm, Walnut, Oak, Sugar, Cherry, Beech and Hickory.

West 2^d Mile - [South side of Section 7.]
40.50 A. W. Oak, 20 inches diameter.
80.00 Set Post, [corner to Sections 7 & 13,] from which a B. Oak, 12 ins. diam. bears S. 52 W. 54 links, and an Ash, 6 ins. diam. bears N. 87 E. 45 links distant.

The soil along this mile is generally of an excellent quality, suitable for the cultivation of indian corn, hemp, tobacco, wheat, rye, &c. - covered with Oak, Walnut, Elm, Hickory, Beech, &c.

West 3^d Mile - [South side of Section 13.]
33.64 A. W. Oak, 36 inches diameter.
80.00 An Elm, 3 ins. diam. [is corner of Secs. 13 & 19,] from which a Buckeye, 8 ins. diam. bears S. 36 W. 8 links, and a Buckeye, 6 ins. diam. bears N. 52 W. 24 links distant.